

# Easyroll 4.00x8" Pneumatic Nylon Wheel 1" Bearing 180kg



**WHEEL SPECIFICATIONS** **180kg**  
LOAD CAPACITY

**PNEUMATIC (INFLATABLE)** **400mm**  
DIAMETER

<b>Hub Specifications</b>	<b>Tyre Specifications</b>
Hub Material: Nylon	Tyre Material: Rubber
Hub Width: 103mm	Tyre Size: 400 x 8
	Tread Width: 100mm
	Tyre Diameter: 400mm

400X8NYLON-SPG  
easyroll

## Description

Easyroll 4.00x8" Pneumatic Nylon Wheel 1" Bearing 180kg is engineered for efficient manoeuvring of various loads in settings that demand reliability and precision.

Constructed with durable nylon components and a ball bearing system, this pneumatic wheel delivers stable performance in both indoor and outdoor applications. Its robust design offers consistent motion and reliable operation for industrial and trade professionals.

## Features

- Nylon core ensures long lasting wear resistance
- Nylon wheel and hub simplify maintenance
- Steel ball bearings enable smooth rotation
- Pneumatic design improves shock absorption
- Ply rating of 4 supports substantial loads
- Suitable for both indoor and outdoor applications
- Manufactured in black and red for clear visibility
- Meets tube specification 400X8 and 4.00-8

**Product Code: 400X8NYLON-**

## Specifications

Bearing Type	Ball Bearing
Ply Rating	4
Outdoor Use	Yes
Indoor Use	Yes
Hardware Included	No

## Weights

Load Capacity kg	180.0
------------------	-------

## Appearance

Product Colour	Black/Red
----------------	-----------

## Construction

Tube Suitable for Wheel	400X8 / 4.00-8
-------------------------	----------------

Wheel Core Material	Nylon
Wheel Material	Nylon
Bearing Material	Steel
Hub Material	Nylon

## Dimensions

Tread Width	100
Axle Bore ID (F)	25.5
Wheel Width (C)	100
Wheel Diameter (A)	400

## Weights

Product Weight (grams)	3042
Product Weight (kg)	3.042

NSW/ACT Chris Caruana 0431 151 883  
QLD Stephen Duncan 0458 203 917

chris.c@ehi.com  
stephen.d@ehi.com.au

VIC/TAS/SA Trent Rapp 0412 444 133  
WA Greg Martin 0417 959 925

trent.p@ehi.com.au  
greg.m@ehi.com.au