

BrickShield



BrickShield, protecting brick stacks from the elements and enhancing site safety.

Features & Benefits

- Hi-vis to reduce the risk of accidents on site.
- Prevents bricks from becoming saturated with rainwater, slowing down the build process.
- Shields the bricks from efflorescence occurring.
- Helps to keep the bricks contained to avoid stacks collapsing on site.
- Easy to fit and remove as bricks are used.

Product Specification

Colour	Yellow
Material	Coated Woven Polypropylene
Water Resistant	Yes
Weight	8.75kg Sold in Packs Of 20

Range

Code	Size
BRCKSHLDPP	500mm x 500mm x 760mm with two fixing tabs, 250mm x 120mm with cut outs

Installation Instructions/Guidelines

- Open out the bag and pull down over the brick stack
- Secure on either side using the fixing tabs with bricks.
- When stack is in use simply remove the weights off the tabs and carefully pull the cover up and off the brick stack.

Handling & Storage

- Store in ambient conditions

Product Disclaimer

The information provided in all product, safety and technical data sheets is to the best of our knowledge correct but not all-inclusive and without warranty and is to be used solely as a guide. Similarly, all technical advice, whether verbal, in writing, or as a result of sample trials, is for guidance and is given in good faith but without warranty, since site conditions, care and skill of application are beyond our control. Protec International Ltd can accept no liability for the performance of our products, or any damage resulting from handling or contact beyond the value of the material supplied. This does not affect your statutory rights.

Every effort to ensure the accuracy of the images of our products has been made, however the accuracy of the colours may differ and vary according to your computer monitor.

Please contact our Customer Services Department on 0800 834 704 for further information.

DOC REF: BrickShield 25 April 2025



0800 834 704 | 01625 855600
enquiries@protection.co.uk
www.protection.co.uk

