


# Masking Tape



Our premium grade, paper wide Masking Tape is the go-to solution for both home and commercial applications, ideal for masking non-sensitive or non-highly finished surfaces.

This versatile tape is easy to tear and work with, making it a cost-effective choice for any project.

Please note that tape performance can vary in extreme temperatures; for example, sub-zero or freezing conditions may lead to a lack of adhesion, while extremely high temperatures can result in adhesive residue being left on the surface.

Before applying the tape to finished surfaces, we recommend conducting a trial to ensure suitability. For specific advice, feel free to contact our technical staff.

We advise against applying tape to veneer doors and suggest using our protective Door Sleeves for such applications.

If you would like samples of any of our adhesive tapes, please call us at 0800 834 704.

## Features & Benefits

- Premium grade materials for enhanced results.
- Perfect for masking skirting boards while painting for crisp edges.
- Efficient at masking non-sensitive or non-highly finished surfaces.

0800 834 704 | 01625 855600  
[enquiries@protection.co.uk](mailto:enquiries@protection.co.uk)  
[www.protection.co.uk](http://www.protection.co.uk)



## Product Specification

Adhesion to Steel Plate	>3N/cm
Colour	Natural
Elongation at Break	>3%
Material	Crepe Paper with white synthetic rubber resin adhesive
Tensile Strength	>37N/cm
Weight Per Roll	0.22kg

## Range

Code	Size
MASKINGTAPE50MM	50mm x 50m

## Installation Instructions/Guidelines

- Before applying tape to a finished surface, a trial should be undertaken to test suitability
- Please contact our technical department for specific advice

## Handling & Storage

- Store in ambient conditions. Please note the performance of tape varies in extreme temperatures, sub-zero temperatures may cause lack of adhesion and high temperatures may cause adhesive residue to be left on the surface once the tape is removed.

- Easy to tear and versatile to work with.
- 50mm x 50m Roll

# PRODUCT DATA SHEET



Product Disclaimer

The information provided in all product, safety and technical data sheets is to the best of our knowledge correct but not all-inclusive and without warranty and is to be used solely as a guide. Similarly, all technical advice, whether verbal, in writing, or as a result of sample trials, is for guidance and is given in good faith but without warranty, since site conditions, care and skill of application are beyond our control. Protec International Ltd can accept no liability for the performance of our products, or any damage resulting from handling or contact beyond the value of the material supplied. This does not affect your statutory rights.

Every effort to ensure the accuracy of the images of our products has been made, however the accuracy of the colours may differ and vary according to your computer monitor.

Please contact our Customer Services Department on 0800 834 704 for further information.

DOC REF: Masking Tape 28 December 2025

