


ON/OFF STEP DIMMING SENSOR (EXTERNAL) FOR BATTENS AND NCFS

NET-51-11-03

**Features & Benefits**

- Uses infrared technology to detect movement
- Built-in photocell to detect between day and night
- Adjust the switching point at different light levels (3lux - 2000lux)
- Time Delay function is extended with every detection of movement
- Includes Remote Control so you can pre-set hold time, detection range, daylight sensor, standby period and standby dimming level

Key Data

Power	0.5W
Dimensions	136.1 x 33.2 x 27.1mm
Warranty	5 Years (Registration Required)

NET LED Lighting

Buckingway Business Park, 300 Anderson Road,
Swavesey, Cambridge, CB24 4UQ


T: 01223 851505 | sales@netled.co.uk | www.netled.co.uk



ORDER BY 6PM
FOR NEXT DAY DELIVERY

Technical Specifications

Input Voltage (AC)	220-240V
Operating Temp.	-20°C to +40°C
Manufacturer	Sealite Co. Ltd.
Lux Levels	<3lux - 2000lux (adjustable)
Max. Detection Distance	10m
Max. Load	1200W
Power Frequency	50/60Hz
Max. Mounting Height	6
Housing Colour	White
Housing Material	Polycarbonate
Detection Angle	360°
Dimming Range	50%, 75% or 100%
Duration	10s - 30min
Max. Detection Area	10m



Other Options

Description	
NET-51-11-03	On/Off Step Dimming Sensor (External) for Battens and NCFs

NET LED Lighting
Buckingham Business Park, 300 Anderson Road,
Swavesey, Cambridge, CB24 4UQ

T: 01223 851505 | sales@netled.co.uk | www.netled.co.uk

 **ORDER BY 6PM**
FOR NEXT DAY DELIVERY