



## ASHLEY SLIM DOWNLIGHT 4000K 8" 18W STANDARD

NET-53-05-85



### Features & Benefits

- Ø210mm cut out size
- Slim, low profile design
- Stainless steel retaining clips
- Single colour temperature 4000K
- 10mm depth

### Key Data

Power	18W
Luminous Flux	1750lm
Colour Temperature	4000K
IP Rating	IP20
Dimensions	Ø225 x 10mm
Warranty	3 Years

### Compatible Accessories

NET-50-12-08	Manual/Self Test Emergency Selectable LED Converter 2.5W
NET-61-33-03	DALI Emergency Kit 3W
NET-61-35-13	Buckden Self Test Emergency Kit 3W for Panels and Downlights
NET-42-43-05	Merrytek Ceiling Mount Microwave Sensor

### NET LED Lighting

Buckingham Business Park, 300 Anderson Road,  
Swavesey, Cambridge, CB24 4UQ


T: 01223 851505 | [sales@netled.co.uk](mailto:sales@netled.co.uk) | [www.netled.co.uk](http://www.netled.co.uk)



**ORDER BY 6PM**  
FOR NEXT DAY DELIVERY

Technical Specifications

Input Voltage (AC)	220-240V
Power Factor	>0.5
Luminaire Efficacy	97lm/W
LED Manufacturer	MTC
LED Type	SMD 2835
No. of LEDs	110
Driver Manufacturer	Hooger Electronics
Driver Output Voltage (DC)	22-42V
Total Circuit Power (W)	18W
Electrical Class	2
Colour Rendering	>80 CRI
Lamp Viewing Angle	120°
Dimmable	No
Flicker-Free	Yes
Operating Temp.	0°C to +35°C
Lifespan LM80	35,000 Hours
UGR Rating	27
Weight	0.42Kg
Manufacturer	Kingsway Lighting
Cut-Out Size	Ø210mm
Housing Colour	White
Housing Material	Aluminium



All units are in mm

Other Options

Description	
NET-53-05-85	Ashley Slim Downlight 4000K 8" 18W Standard
NET-53-05-92	Ashley Slim Downlight 4000K 8" 18W Emergency

**NET LED Lighting**  
Buckingham Business Park, 300 Anderson Road,  
Swavesey, Cambridge, CB24 4UQ

T: 01223 851505 | [sales@netled.co.uk](mailto:sales@netled.co.uk) | [www.netled.co.uk](http://www.netled.co.uk)

 **ORDER BY 6PM**  
FOR NEXT DAY DELIVERY

## 10MM DEPTH

Essential for shallow ceiling voids

## STAINLESS STEEL RETAINING CLIPS


Quick and simple installation with no need for additional tools



4K

## 4000K COLOUR TEMPERATURE

Create a focused environment perfect for offices and commercial spaces



## Ø135-210MM CUT-OUT SIZE

Retrofit over an existing cut-out from anywhere between Ø135mm and Ø210mm