

BURY CORN LAMP 4500K 100W

NET-53-12-10



Multi-functional for a number of applications

Adaptable for High Bay, Lantern/Post Top or Shoebox/Low Bay applications



Optional PIR Sensor

Adjustable PIR Sensor with a hold time between 30 seconds and 10 minutes, and a standby dimming level of 0-60%



Features & Benefits

- Adaptable for High Bay, Lantern/Post Top or Shoebox/Low Bay applications
- Single colour temperature 4500K
- IP40 rated housing
- Optional PIR Sensor available

Key Data

Power	100W
Luminous Flux	15500lm
Colour Temperature	4500K
IP Rating	IP40
Dimensions	178 x 117 x 318mm
Warranty	5 Years (Registration Required)

Compatible Accessories

NET-53-12-20	PIR Sensor for Bury Corn Lamps
--------------	--------------------------------

NET LED Lighting

Buckingham Business Park, 300 Anderson Road,
Swavesey, Cambridge, CB24 4UQ


T: 01223 851505 | sales@netled.co.uk | www.netled.co.uk



ORDER BY 6PM
FOR NEXT DAY DELIVERY

Technical Specifications

Input Voltage (AC)	100-277V
Power Factor	>0.9
Luminaire Efficacy	155lm/W
LED Manufacturer	Samsung
LED Type	SMD 2835
No. of LEDs	256
Driver Manufacturer	GK
Driver Output Voltage (DC)	46.4V
Total Circuit Power (W)	100W
Electrical Class	2
Colour Rendering	>80 CRI
Lamp Viewing Angle	360°
Dimmable	No
Operating Temp.	-30°C to +45°C
Lifespan LM80	50,000 Hours
Weight	1.45Kg
Manufacturer	Kingsway Lighting Ltd.
Fire Rating	V0
Housing Colour	White
Housing Material	Aluminium
Diffuser Material	PC



Other Options

Description	
NET-53-12-50	Bury Corn Lamp 4500K 50W
NET-53-12-10	Bury Corn Lamp 4500K 100W

NET LED Lighting

Buckingham Business Park, 300 Anderson Road,
Swavesey, Cambridge, CB24 4UQ

T: 01223 851505 | sales@netled.co.uk | www.netled.co.uk



ORDER BY 6PM
FOR NEXT DAY DELIVERY

150
lm/W

**AVAILABLE WITH
E27 OR E40 SCREW**

Compatible with a broad range of
light fixtures and lamps, making it a
perfect retrofitting solution

4.5K

4500K COLOUR TEMPERATURE

Enhance focus and productivity
in work environments

IP40 RATED HOUSING

Protect your fitting and it's internal
components from dust ingress

ADJUSTABLE HEADS FOR MULTIPLE APPLICATIONS

Adaptable for High Bay, Lantern/Post
Top, or Shoebox/Low Bay applications

