





@ansell_lighting





in Ansell Lighting




Disco EVO


Disco EVO 2 Microwave Sensor Self-Test Code: ADIS2/1/MWS/SM3

| | Reinforced Base Reinforced base with a pre-drilled back entry and grommet for enhanced durability and effortless installation |
|---|---|
| , | |









PRODUCT FEATURES

- Slim and modern bulkhead suitable for residential, commercial and industrial applications as well as ancillary areas
- · All polycarbonate construction with opal diffuser and white trim ring with optional chrome, satin chrome or graphite trim ring accessories
- Gear tray located on the bezel, allowing the base to be installed and then the bezel connected, this coupled with 4x 20mm conduit entry points on base ensure a quick and simple installation
- · Instant light output and unlimited switching

- High efficiency up to 145lm/W
- CCT selectable between 3000K, 4000K and 6500K and power selectable; offering a choice of 3 outputs, in one luminaire
- · Two options of microwave sensor emergency

| GENERAL INFORMATION | | | | |
|----------------------------------|---------------------------------------|--|--|--|
| Wattage | 10.5 - 18.5W | | | |
| Lumens Delivered | (4000K) 9W: 1200m 12W: 1800lm 16W: | | | |
| | 2300lm | | | |
| Lm/W | (4000K) 9W: 135lm/W 12W: 145lm/W 16W: | | | |
| | 145lm/W | | | |
| Beam Angle | 110 | | | |
| CRI | 80 | | | |
| CCT | 3000/4000/6500K | | | |
| Input | 220-240V | | | |
| Operating Temp | 0°C - 40°C | | | |
| SDCM | 3 | | | |
| UGR | 26 | | | |
| Product Weight without Packaging | 1.085 kg | | | |

| TECHNICAL INFORMATION | | | |
|--------------------------------|---------------------|--|--|
| Light Source | LED | | |
| Colour / Finish | White | | |
| IP Rating | IP65 | | |
| Class Protection | 2 | | |
| Internal / External | Internal / External | | |
| Surface / Recessed / Suspended | Ceiling, Wall | | |
| Lumen Depreciation | L70 54,000h | | |
| Warranty (Years) | 7 | | |
| CE Mark | Yes | | |
| Diameter | 325 mm | | |
| Height | 85 mm | | |

Belfast: +44 (0) 2890 773750