



OCTO Garletta RGBTW Connected by WiZ



- Dual purpose WiZ embedded garden spotlight supplied with wall mounting bracket and spike suitable for coastal areas
- Connects directly to your WiFi network using Bluetooth technology to support seamless pairing
- Create the ambience of your choice with 16 million colours, as well as warm to cool white light (AGARLED/RGBTW/OCTOW)
- Tunable between 2700K - 6500K via WiZ app and voice control (AGARLED/TW/OCTOW)
- Polycarbonate construction suitable for coastal areas
- Pre-wired with 2 metres of rubber insulated cable
- Please consider WiFi signal strength for this product

Features

| | |
|-----------|---|
| Feature 1 | Dual purpose WiZ embedded garden spotlight supplied with wall mounting bracket and spike suitable for coastal areas |
| Feature 2 | Connects directly to your WiFi network using Bluetooth technology to support seamless pairing |
| Feature 3 | Create the ambience of your choice with 16 million colours, as well as warm to cool white light (AGARLED/RGBTW/OCTOW) |
| Feature 4 | Tunable between 2700K - 6500K via WiZ app and voice control (AGARLED/TW/OCTOW) |



| | |
|--------------------------------|---|
| Feature 5 | Polycarbonate construction suitable for coastal areas |
| Feature 6 | Pre-wired with 2 metres of rubber insulated cable |
| Feature 7 | Please consider WiFi signal strength for this product |
| General Information | |
| Lamp Type | LED |
| Dimmable | Yes |
| IP Rating | IP65 |
| IK Rating | IK08 |
| Class Protection | 2 |
| Internal / External | External |
| Surface / Recessed / Suspended | Floor,Wall |
| OCTO Category | OCTO embedded WiZ Connected |
| Voice Control | Yes |
| Warranty (Years) | 3 |
| Material | Polycarbonate |
| Technical Information | |
| Wattage | 6W |
| Lumens Delivered | 450lm - 500lm (2700K - 6500K) |
| Lm/W | 69lm/W - 77lm/W (2700K - 6500K) |
| Beam Angle | 100 |
| CRI | 80 |
| CCT | 2700-6500K and RGB |
| Input | 220/240V |
| Hertz | 50/60Hz |
| Operating Temp | -20°C - 45°C |
| Lumen Depreciation | L80 54,000h |
| Power Factor | 0.9 |

