



Application	Hospitality, Residential, Retail
Specification	Architectural

## P-Cell PRO LED Strip

P-Cell 24V 9.6W IP67 White 6500K 5m Code: P/24/03/67/01/65/\$01/01







## PRODUCT FEATURES

- P-CELL Professional LED strip suitable for high end residential, hospitality. retail and commercial applications
- Elite level LED chip technology with >97 CRI and low SDCM produce the best quality white light
- · With a high CRI this ensures suitability for use within professional display and high end retail environments
- · Fast fit plug and play connections available

- · Super high efficacy ensures peak performance, whilst also remaining economical and energy saving, helping to reduce overall energy consumption for all large scale
- High LED density (240 LEDs per metre) provides a uniform output reducing spotting and providing a more seamless output of light compared to traditional LED strips.
- An extensive range of colour temperature options, IP ratings and power outputs offer the ultimate package of flexibility and versatility, suited for all high end applications
- Large strip pack sizes and multiple connector packs offers great time saving and ease when working on a large scale project

GENEI	ral information	
Wattage	9.6W/m	
Lumens Delivered	1110lm/m	
Lm/W	117lm/W	
Beam Angle	120	
CRI	97	
CCT	6500K	
Input	24V	
Operating Temp	-20°C - 45°C	
SDCM	3	
Product Weight without Packaging	0.27 kg	

Belfast: +44 (0) 2890 773750

Warrington: +44 (0) 1942 433333

TEC	HNICAL INFORMATION
Light Source	LED
IP Rating	IP67
Class Protection	3
Internal / External	Internal / External
Surface / Recessed / Suspended	Ceiling, Recessed, Wall
Lumen Depreciation	L70 50,000h
Warranty (Years)	5
CE Mark	Yes
Height	4 mm
LED Strip LEDs Per Metre	160









Application	Hospitality, Residential, Retail
Specification	Architectural

## P-Cell PRO LED Strip

P-Cell 24V 9.6W IP67 White 6500K 5m Code: P/24/03/67/01/65/S01/01

ACCESSORIES		
AOCTOW/12-24V/DIM	OCTO WiZ Connected 12-24V Dimmable Controller	
AOCTO/RGBW/BTC	OCTO Indoor CCT/RGBW Controller 12-24V	



