
Spec Sheet E01VT65EM





Vorto

Vorto IP65 Non Maintained Emergency Twinspot 500lm 6000K

DESCRIPTION

The Vorto IP65 emergency twin spot with 2 adjustable heads giving a combined 500 lumen output for emergency situations. The Vorto is designed for simple and quick installation with a clip on front cover and the use of push fit terminals perfect for commercial, industrial and warehouse applications.

FEATURES

- Polycarbonate IP65 IK08 construction
- Twin 2.5W LED adjustable and tiltable heads
- Quick fit cover and push fit terminals
- 20mm side entry points
- 3 hour non-maintained manual test function
- LiFePO4 3.2V 5500mAh with 5 year warranty

GENERAL INFORMATION			
Light Source	LED	**Colour / Finish**	White
Application	Internal/External	**Mounting Type**	Surface, Suspended
Product Warranty	5 Years	**Battery Warranty**	5 Years
Net Weight	0.94 kg		

TECHNICAL INFORMATION			
Nominal Voltage	240	**Frequency**	50-60Hz
Class Protection	1	**Operating Temperature (Min)**	0 °C
Operating Temperature (Max)	40 °C	**Construction Materials Line 1**	Polycarbonate
Dimensions - Height	297 mm	**Dimensions - Width**	282 mm
Dimensions - Depth	70 mm	**IK Rating**	IK08
IP Rating	IP65		

PRODUCT INFORMATION			
Wattage Combined	5W	**CCT Combined**	6000K
Luminaire Lumens Combined	500 lm	**lm/W Combined**	100 lm/w
Beam Angle	90°	**CRI**	70
Lumen Maintenance	0.8	**Emergency Lumen Output**	500 lm
Lighting Technology used	LED	**Non-Directional or Directional**	NDLS

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

www.eterna-lighting.co.uk

Spec Sheet E01VT65EM

Mains or non-mains	MLS	**Colour tuneable light source**	FALSE
Dimmable	Not Dimmable	**Correlated Colour temperature type**	SINGLE_VALUE
Correlated Colour temperature (K) 1	6,000	**Chromaticity coordinates x**	0.31
Chromaticity coordinates y	0.33	**R9 colour rendering index**	70

5 Year Warranty

IP65

IK08

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

PHOTOMETRICS					
Product Code	**Product Type**	**Watts**	**CCT**	**Luminaire lumens**	**Lm/W**
E01VT65EM	Emergency, Non-maintained Emergency, White	5 W	6000 K	500 lm	100 lm/W

ACCESSORIES		
Product Code	**Description**	**MOM / OPQ**
EB32	LiFePO4 3.2V 5500mAh Stick Battery	1 / 10

PACKAGING	
Packaging Type	Plain Box
Individual unit gross weight	1,073 g
Pallet Layer Qty	42
Pallet Layers	4
Pallet Qty	168
MOM / OPQ	1 / 6