



Vorto

Vorto IP65 Non Maintained Emergency
Twinspot 500lm 6000K

DESCRIPTION

The Vorto IP65 emergency twin spot with 2 adjustable heads giving a combined 500 lumen output for emergency situations.

The Vorto is designed for simple and quick installation with a clip on front cover and the use of push fit terminals perfect for commercial, industrial and warehouse applications.

FEATURES

- Polycarbonate IP65 IK08 construction
- Twin 2.5W LED adjustable and tiltable heads
- Quick fit cover and push fit terminals
- 20mm side entry points
- 3 hour non-maintained manual test function
- LiFePO4 3.2V 5500mAh with 5 year warranty

GENERAL INFORMATION

Light Source	LED	Colour / Finish	White
Application	Internal/External	Mounting Type	Surface, Suspended
Product Warranty	5 Years	Battery Warranty	5 Years
Net Weight	0.94 kg		

TECHNICAL INFORMATION

Nominal Voltage	240	Frequency	50-60Hz
Class Protection	1	Operating Temperature (Min)	0 °C
Operating Temperature (Max)	40 °C	Construction Materials Line 1	Polycarbonate
Dimensions - Height	297 mm	Dimensions - Width	282 mm
Dimensions - Depth	70 mm	IK Rating	IK08
IP Rating	IP65		

PRODUCT INFORMATION

Wattage Combined	5W	CCT Combined	6000K
Luminaire Lumens Combined	500 lm	lm/W Combined	100 lm/w
Beam Angle	90°	CRI	70
Lumen Maintenance	0.8	Emergency Lumen Output	500 lm
Lighting Technology used	LED	Non-Directional or Directional	NDLS



Mains or non-mains	MLS	Colour tuneable light source	FALSE
Dimmable	Not Dimmable	Correlated Colour temperature type	SINGLE_VALUE
Correlated Colour temperature (K) 1	6,000	Chromaticity coordinates x	0.31
Chromaticity coordinates y	0.33	R9 colour rendering index	70



IP65



IK08





IP65



IK08

PHOTOMETRICS

Product Code	Product Type	Watts	CCT	Luminaire lumens	Lm/W
E01VT65EM	Emergency, Non-maintained Emergency, White	5 W	6000 K	500 lm	100 lm/W

ACCESSORIES

Product Code	Description	MOM / OPQ
EB32	LiFePO4 3.2V 5500mAh Stick Battery	1 / 10

PACKAGING

Packaging Type	Plain Box
Individual unit gross weight	1,073 g
Pallet Layer Qty	42
Pallet Layers	4
Pallet Qty	168
MOM / OPQ	1 / 6

