Spec Sheet MODERNOBK

eterna.

2 Year Warranty

IP44




6W LED Lantern

6W 3100K LED Black Lantern

DESCRIPTION

Energy efficient, modern design LED lantern in black offers evenly diffused warm lighting effect



GENERAL INFORMATION			
Light Source	LED	**Colour / Finish**	Black
Application	External	**Mounting Type**	Surface
Product Warranty	2 Years	**Net Weight**	0.4 kg
Energy Efficiency Class	G		

TECHNICAL INFORMATION			
Nominal Voltage	240	**Frequency**	50-60Hz
Class Protection	1	**Average Rated Life**	35,000 h
Number of switching cycles	15,000	**Construction Materials Line 1**	Polycarbonate
Dimensions - Height	240 mm	**Dimensions - Width**	170 mm
Dimensions - Depth	200 mm	**IP Rating**	IP44

PRODUCT INFORMATION			
Wattage Combined	6W	**CCT Combined**	3100K
Luminaire Lumens Combined	330 lm	**lm/W Combined**	55 lm/w
Beam Angle	120°	**CRI**	80
SDCM	<6	**Lumen Maintenance**	0.7
Lighting Technology used	LED	**Non-Directional or Directional**	NDLS
Mains or non-mains	MLS	**Connected light source (CLS)**	FALSE

CE

UK CA

Member of theLIA

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

Spec Sheet MODERNOBK

2 Year Warranty

IP44

Colour tuneable light source	FALSE	**High Luminance light source**	FALSE
Anti Glare shield	FALSE	**Dimmable**	Not Dimmable
CCT1/WATT1: Rated Peak Intensity	120 cd		

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

2 Year Warranty

IP44

PHOTOMETRICS					
Product Code	**Product Type**	**Watts**	**CCT**	**Luminaire lumens**	**Lm/W**
MODERNOBK	Black	6 W	3100 K	330 lm	55 lm/W
MODERNOWH	White	6 W	3100 K	330 lm	55 lm/W
MODPIRWH	PIR	6 W	3100 K	330 lm	55 lm/W

PACKAGING	
Packaging Type	Colour Box
Individual unit gross weight	635 g
Pallet Layer Qty	24
Pallet Layers	5
Pallet Qty	120
MOM / OPQ	1 / 6