




6W LED Lantern

6W 3100K LED Black Lantern

DESCRIPTION

Energy efficient, modern design LED lantern in black offers evenly diffused warm lighting effect



GENERAL INFORMATION

| | | | |
|-------------------------|----------|-----------------|---------|
| Light Source | LED | Colour / Finish | Black |
| Application | External | Mounting Type | Surface |
| Product Warranty | 2 Years | Net Weight | 0.4 kg |
| Energy Efficiency Class | G | | |

TECHNICAL INFORMATION

| | | | |
|----------------------------|--------|-------------------------------|---------------|
| Nominal Voltage | 240 | Frequency | 50-60Hz |
| Class Protection | 1 | Average Rated Life | 35,000 h |
| Number of switching cycles | 15,000 | Construction Materials Line 1 | Polycarbonate |
| Dimensions - Height | 240 mm | Dimensions - Width | 170 mm |
| Dimensions - Depth | 200 mm | IP Rating | IP44 |

PRODUCT INFORMATION

| | | | |
|---------------------------|--------|--------------------------------|---------|
| Wattage Combined | 6W | CCT Combined | 3100K |
| Luminaire Lumens Combined | 330 lm | lm/W Combined | 55 lm/w |
| Beam Angle | 120° | CRI | 80 |
| SDCM | <6 | Lumen Maintenance | 0.7 |
| Lighting Technology used | LED | Non-Directional or Directional | NDLS |
| Mains or non-mains | MLS | Connected light source (CLS) | FALSE |



| | | | |
|----------------------------------|--------|-----------------------------|--------------|
| Colour tuneable light source | FALSE | High Luminance light source | FALSE |
| Anti Glare shield | FALSE | Dimmable | Not Dimmable |
| CCT1/WATT1: Rated Peak Intensity | 120 cd | | |



IP44





IP44

PHOTOMETRICS

| Product Code | Product Type | Watts | CCT | Luminaire lumens | Lm/W |
|--------------|--------------|-------|--------|------------------|---------|
| MODERNOBK | Black | 6 | 3100 K | 330 lm | 55 lm/W |
| MODERNOWH | White | 6 | 3100 K | 330 lm | 55 lm/W |
| MODPIRWH | PIR | 6 | 3100 K | 330 lm | 55 lm/W |

PACKAGING

| | |
|------------------------------|------------|
| Packaging Type | Colour Box |
| Individual unit gross weight | 635 g |
| Pallet Layer Qty | 24 |
| Pallet Layers | 5 |
| Pallet Qty | 120 |
| MOM / OPQ | 1 / 6 |

