Spec Sheet VECOLT58

5 Year Warranty

IP20

8W Economy T5 LED Linkable Fitting

8W Economy T5 LED Linkable Fitting





DESCRIPTION

Economy T5 LED Linkable Fitting

FEATURES

- Superb light output and lighting effect - low power consumption with enhanced life expectancy
- 1.8m mains lead with 0.22m link lead
- Linkable with up to 5 other fittings
- Optically optimised diffuser
- Ensures a soft diffused light with no degradation of light output
- Rocker switch

GENERAL INFORMATION			
Light Source	LED	**Colour / Finish**	White
Application	Internal	**Mounting Type**	Surface
Product Warranty	5 Years	**Net Weight**	0.2 kg
Energy Efficiency Class	E		

TECHNICAL INFORMATION			
Nominal Voltage	240	**Frequency**	50-60Hz
Class Protection	2	**Operating Temperature (Min)**	-20 °C
Operating Temperature (Max)	45 °C	**Average Rated Life**	30,000 h
Number of switching cycles	15,000	**Construction Materials Line 1**	Polycarbonate
Dimensions - Height	30 mm	**Dimensions - Width**	585 mm
Dimensions - Depth	22 mm	**IP Rating**	IP20

PRODUCT INFORMATION			
Wattage Combined	8W	**CCT Combined**	4000K
Luminaire Lumens Combined	920 lm	**lm/W Combined**	115 lm/w
Beam Angle	120°	**CRI**	80
SDCM	<6	**Lumen Maintenance**	0.7
Lighting Technology used	LED	**Non-Directional or Directional**	NDLS

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

Spec Sheet VECOLT58

Mains or non-mains	MLS	**Connected light source (CLS)**	FALSE
Colour tuneable light source	FALSE	**High Luminance light source**	FALSE
Anti Glare shield	FALSE	**Dimmable**	Not Dimmable
Correlated Colour temperature type	SINGLE_VALUE	**Correlated Colour temperature (K) 1**	4,000
Chromaticity coordinates x	0.441	**Chromaticity coordinates y**	0.404
Stroboscopic effect metric (SVM)	0.0	**Flicker Metric (pst)**	0.0
R9 colour rendering index	14.0	**Survival factor @6000hrs**	1.0
Claim LED Replace Fluorescent	FALSE	**Spectrum report available**	Yes
Displacement Factor	0.84	**CCT1/WATT1: Rated Peak Intensity**	260 cd

5 Year Warranty

IP20

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

5 Year Warranty

IP20

PHOTOMETRICS					
Product Code	**Product Type**	**Watts**	**CCT**	**Luminaire lumens**	**Lm/W**
VECOLT510	Standard	10 W	4000 K	1150 lm	115 lm/W
VECOLT514	Standard	14 W	4000 K	1610 lm	115 lm/W
VECOLT54	Standard	4 W	4000 K	460 lm	115 lm/W
VECOLT58	Standard	8 W	4000 K	920 lm	115 lm/W

PACKAGING	
Packaging Type	Plain Box
Individual unit gross weight	279 g
Pallet Layer Qty	240
Pallet Layers	4
Pallet Qty	960
MOM / OPQ	1 / 30

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D