Spec Sheet WGLEDBK

eterna.

5 Year Warranty

IP65



LED Well Glass

Well glass black fitting E27 bulb included 9W 2700K IP65

DESCRIPTION

The well glass external wall fitting is available in black and white with a tough polycarbonate diffuser to give a similar style to a tradition glass lantern fixture. The fixture comes complete with an LED E27 lamp for ease of maintenance and an additional corner bracket accessory for corner wall positions to save on installing fixtures either side of the wall

FEATURES

- Bracket included for optional corner mounting - complete solution for flat wall or corner mounting
- BESA box mounting
- Aluminium alloy in white or black finish with white polycarbonate diffuser
- Low energy consumption and prolonged lamp life
- Includes a 9W LED ES (E27) 'A' Shape lamp
- Lamp included - 1 year warranty

GENERAL INFORMATION			
Light Source	Non Integral	**Colour / Finish**	Black
Application	External	**Mounting Type**	Surface
Product Warranty	5 Years	**Net Weight**	1.5 kg
Energy Efficiency Class	F		

TECHNICAL INFORMATION			
Nominal Voltage	240	**Frequency**	50-60Hz
Class Protection	1	**Operating Temperature (Min)**	-20 °C
Operating Temperature (Max)	45 °C	**Average Rated Life**	15,000 h
Number of switching cycles	750	**Construction Materials Line 1**	Polycarbonate
Construction Materials Line 2	Aluminium	**Dimensions - Height**	240 mm
Dimensions - Width	130 mm	**Dimensions - Depth**	220 mm
IP Rating	IP65		

PRODUCT INFORMATION			
Wattage Combined	9.5W	**CCT Combined**	2700K
Luminaire Lumens Combined	810 lm	**lm/W Combined**	85 lm/w
Beam Angle	220°	**CRI**	80
SDCM	<6	**Lumen Maintenance**	0.9

CE

UK CA

UK Sales: 01933 673344 | E: sales@eterna-lighting.co.uk
IE Sales: +353 1 844 6300 | E: sales@eterna-lighting.ie

Registered In England No. 410716 VAT Reg. No. GB 229 3783 37
Registered In Ireland No. 018423 VAT Reg. No. IE 8R73602D

Displacement Factor	0	**CCT1/WATT1: Rated Peak Intensity**	96 cd

5 Year Warranty

IP65

5 Year Warranty

IP65

PHOTOMETRICS					
Product Code	**Product Type**	**Watts**	**CCT**	**Luminaire lumens**	**Lm/W**
WGLEDBK	Standard	9.5 W	2700 K	810 lm	85 lm/W
WGLEDWH	Standard	9.5 W	2700 K	810 lm	85 lm/W

PACKAGING	
Packaging Type	Colour Box
Individual unit gross weight	1,091 g
Pallet Layer Qty	28
Pallet Layers	4
Pallet Qty	112
MOM / OPQ	1 / 4