EN Datasheet

ADAPT

Edge Trim Profile For Use As A Wall Skirting Board For Parquet/Laminate Flooring






MATERIAL

Aluminium can be used wherever medium mechanical stress is to be expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which is difficult to remove afterwards. High humidity can intensify this process. Dirt deposits can be removed with standard cleaning agents. Cleaning agents must be free of scouring powder or aggressive additives.

The suitability with regard to mechanical and chemical resistance must always be checked in each individual case.

CARE

Aluminium does not require any special care. If necessary, it can be cleaned with clear, clean water and a drop of washing-up liquid. Then wipe dry.

Avoid using acidic, alkaline and abrasive cleaning agents.

PROCESSING

1. Cut the profiles to size.
2. The substrate must be cleaned and any contaminants such as release agents, preservatives, grease, oil, dust, water, old adhesives/sealants and other substances that impair adhesion must be removed.
3. Spread MS polymer adhesive evenly over the back of the profile, align the profile and stick it in the desired position.

The generally accepted rules of technology and tiling must be observed. Suitability for use with mechanical and chemical resistance must always be checked in each individual case.

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	[Aluminium]
Surface	[powder coated], [anodised]
Colour	silver, champagne, titanium, gold, black matt (RAL 9005)
Length	90 cm, 250 cm, 270 cm
sight width	10 mm, 14 mm, 16 mm, 18 mm
Height	4 mm, 8 mm, 10 mm, 12 mm, 14 mm
Width mm	26 mm, 28 mm, 30 mm, 32 mm
height up to	8 mm, 10 mm, 12 mm, 14 mm, 16 mm

PRODUCT VARIANTS

Ident	Height	Surface	Colour	Length
ADAE 480/250	4 mm	anodised	silver	250 cm
ADAE 480-T/250	4 mm	anodised	titanium	250 cm
ADAE 800-C/90	8 mm	anodised	champagne	90 cm
ADAE 800-C/270	8 mm	anodised	champagne	270 cm
ADAE 800-G/270	8 mm	anodised	gold	270 cm
ADAE 800/90	8 mm	anodised	silver	90 cm
ADAE 800/270	8 mm	anodised	silver	270 cm
ADAE 800-T/90	8 mm	anodised	titanium	90 cm
ADAE 800-T/270	8 mm	anodised	titanium	270 cm
ADACM 811/270	8 mm	powder coated	black matt (RAL 9005)	270 cm
ADAE 1000-C/90	10 mm	anodised	champagne	90 cm
ADAE 1000-C/270	10 mm	anodised	champagne	270 cm
ADAE 1000/90	10 mm	anodised	silver	90 cm
ADAE 1000/270	10 mm	anodised	silver	270 cm
ADAE 1000-T/90	10 mm	anodised	titanium	90 cm
ADAE 1000-T/270	10 mm	anodised	titanium	270 cm
ADACM 1011/270	10 mm	powder coated	black matt (RAL 9005)	270 cm
ADAE 1200-C/90	12 mm	anodised	champagne	90 cm
ADAE 1200-C/270	12 mm	anodised	champagne	270 cm
ADAE 1200-G/270	12 mm	anodised	gold	270 cm
ADAE 1200/90	12 mm	anodised	silver	90 cm
ADAE 1200/270	12 mm	anodised	silver	270 cm
ADAE 1200-T/90	12 mm	anodised	titanium	90 cm
ADAE 1200-T/270	12 mm	anodised	titanium	270 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

The recognised standards and regulations of technology must be observed. Previous data sheets are invalid.

ADACM 1211/270	12 mm	powder coated	black matt (RAL 9005)	270 cm
ADAE 1400-C/90	14 mm	anodised	champagne	90 cm
ADAE 1400-C/270	14 mm	anodised	champagne	270 cm
ADAE 1400/90	14 mm	anodised	silver	90 cm
ADAE 1400/270	14 mm	anodised	silver	270 cm
ADAE 1400-T/90	14 mm	anodised	titanium	90 cm
ADAE 1400-T/270	14 mm	anodised	titanium	270 cm
ADACM 1411/270	14 mm	powder coated	black matt (RAL 9005)	270 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

The recognised standards and regulations of technology must be observed. Previous data sheets are invalid.