


DIAMONDSTEP


Aluminium Stair Nosing Profile With Anti-Slip Safety Insert











TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	Aluminium, Aluminium, PVC, Stainless Steel (V2A/304), Stainless Steel (V2A/304), PVC		
Surface	anodised		
Colour	satin silver, silver, neutral black, charcoal grey, rich brown, putty, mid grey, natural		
Length	150 cm, 250 cm		
sight width	17 mm, 25 mm, 42 mm		
Height (b)	9 mm, 11 mm		
Width mm	17 mm, 25 mm, 42 mm		
supplementary colour	Profilfarbe: natur		

ACCESSORIES

Matching end caps are available as accessories

PROCESSING

- 1. Select the profile according to the tile thickness.
- 2 Apply tile adhesive with a notched trowel.
- 3 Press the profile into the adhesive bed and align.
- 4. Fill over the entire surface of the fixing leg.
- 5. Press the tiles firmly into place and align them so that they are flush with the upper edge of the profile. Lay the tiles fully flush.
- 6 Use suitable inner or outer corner pieces.
- 7. Leave a joint of 1-2 mm to the profile.
- 8. Fill the space between the tiles and the profile completely with grout.

Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clean water. Then rub dry.

The generally recognised rules of technology must be observed. Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

05 February 2025 12:58

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.

All information is based on the best of our knowledge and belief. No guarantee can be derived from this.

We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.





PRODUCT VARIANTS

Ident	Height (b)	Surface	Colour	Length
DISTAE 9107/250	9 mm	anodised	charcoal grey	250 cm
DISTAE 9113/250	9 mm	anodised	mid grey	250 cm
DISTAE 9106/250	9 mm	anodised	neutral black	250 cm
DISTAE 9110/250	9 mm	anodised	putty	250 cm
DISTAE 9109/250	9 mm	anodised	rich brown	250 cm
DISTAE 90/250	9 mm	anodised	satin silver	250 cm
DISTAE 90-42/250	9 mm	anodised	silver	250 cm
DISTAE 11107/150	11 mm	anodised	charcoal grey	150 cm
DISTAE 11107/250	11 mm	anodised	charcoal grey	250 cm
DISTAE 11113/150	11 mm	anodised	mid grey	150 cm
DISTAE 11113/250	11 mm	anodised	mid grey	250 cm
DISTAE 11106/150	11 mm	anodised	neutral black	150 cm
DISTAE 11106/250	11 mm	anodised	neutral black	250 cm
DISTAE 11110/150	11 mm	anodised	putty	150 cm
DISTAE 11110/250	11 mm	anodised	putty	250 cm
DISTAE 11109/150	11 mm	anodised	rich brown	150 cm
DISTAE 11109/250	11 mm	anodised	rich brown	250 cm
DISTAE 110/250	11 mm	anodised	satin silver	250 cm
DISTAE 110-42/250	11 mm	anodised	silver	250 cm
DISTE 11107/250	11 mm		charcoal grey	250 cm
DISTE 11113/250	11 mm		mid grey	250 cm
DISTE 110/250	11 mm		natural	250 cm
DISTE 11106/250	11 mm		neutral black	250 cm
DISTE 11110/250	11 mm		putty	250 cm
DISTE 11109/250	11 mm		rich brown	250 cm
		· · · · · · · · · · · · · · · · · · ·		

05 February 2025 12:58