


SQUARELINE Aluminium


Corner Piece For Profile Series SQUARELINE











TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	Aluminium, Metal die-cast
Surface	anodised, anodised,brushed, brushed,high-gloss anodised, powder coated, tactile coated, matt, anodised,matt, high-gloss anodised, brushed, high-gloss polished
Colour	copper, mercury, warm white, beige, anthracite, brown, silver, titanium, black matt, gold
Height (b)	12.5 mm, 4.5 mm, 7 mm, 9 mm, 10 mm, 11 mm

MATERIAL

Aluminium can be used wherever a medium mechanical stresses are expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which can be difficult to remove afterwards. High humidity during the drying phase can intensify this process. Always wipe off tile adhesive or grout on visible surfaces immediately with plenty of water, then wipe dry and ensure that the room is well ventilated.

Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

CARE

Aluminium does not require any special care. If necessary, it can simply be damp-cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry.

Acidic, alkaline and abrasive cleaning agents should be avoided.

PROCESSING

- 1. Select the profile according to the tile thickness.
- 2 Apply tile adhesive with a notched trowel.
- 3 Press the profile into the adhesive bed and align.
- 4. Fill over the entire surface of the fixing leg.
- 5. Press the tiles firmly into place and align them so that they are flush with the upper edge of the profile. Lay the tiles fully flush.
- 6 Use suitable inner or outer corner pieces.
- 7. Leave a joint of 1-2 mm to the profile.
- 8. Fill the space between the tiles and the profile completely with grout.

06 May 2025 02:34 AM





Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clean water. Then rub dry.

The generally recognised rules of technology must be observed. Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

PRODUCT VARIANTS

Ident	Height (b)	Surface	Colour
DPSAE 45-Y/2	4.5 mm	anodised	silver
DPSAE 45-Y/20	4.5 mm	anodised	silver
DPSAE 45-T-Y/2	4.5 mm	anodised	titanium
DPSA 461-Y/2	4.5 mm	high-gloss anodised	gold
DPSA 462-Y/2	4.5 mm	high-gloss anodised	silver
DPSAE 70-Y/2	7 mm	anodised	silver
DPSAE 70-Y/20	7 mm	anodised	silver
DPSAE 70-T-Y/2	7 mm	anodised	titanium
DPSAE 70-T-Y/20	7 mm	anodised	titanium
DPSA 762-SF-Y/2	7 mm	brushed, high-gloss anodised	silver
DPSA 762-SF-Y/20	7 mm	brushed, high-gloss anodised	silver
DPSA 763-SF-Y/2	7 mm	brushed, high-gloss anodised	titanium
DPSA 763-SF-Y/20	7 mm	brushed, high-gloss anodised	titanium
DPSA 761-Y/2	7 mm	high-gloss anodised	gold
DPSA 761-Y/20	7 mm	high-gloss anodised	gold
DPSA 762-Y/2	7 mm	high-gloss anodised	silver
DPSA 762-Y/20	7 mm	high-gloss anodised	silver
DPSA 763-Y/2	7 mm	high-gloss anodised	titanium
DPSACS 733-Y/2	7 mm	tactile coated	anthracite
DPSACS 732-Y/2	7 mm	tactile coated	beige
DPSACS 735-Y/2	7 mm	tactile coated	brown
DPSAE 90-Y/2	9 mm	anodised	silver
DPSAE 90-Y/20	9 mm	anodised	silver
DPSAE 90-T-Y/2	9 mm	anodised	titanium
DPSAE 90-T-Y/20	9 mm	anodised	titanium
DPSAE 90-SW-Y/2	9 mm	anodised, matt	black matt
DPSA 962-SF-Y/2	9 mm	brushed, high-gloss anodised	silver
DPSA 962-SF-Y/20	9 mm	brushed, high-gloss anodised	silver
DPSA 963-SF-Y/2	9 mm	brushed, high-gloss anodised	titanium
DPSA 963-SF-Y/20	9 mm	brushed, high-gloss anodised	titanium
DPSA 961-Y/2	9 mm	high-gloss anodised	gold
DPSA 961-Y/20	9 mm	high-gloss anodised	gold

06 May 2025 02:34 AM





DPSA 962-Y/2	9 mm	high-gloss anodised	silver
DPSA 962-Y/20	9 mm	high-gloss anodised	silver
DPSA 963-Y/2	9 mm	high-gloss anodised	titanium
DPSAE 90-Y ECO/20	9 mm	matt	silver
DPSAE 90-Y ECO/2	9 mm	matt	silver
DPSACS 933-Y/2	9 mm	tactile coated	anthracite
DPSACS 932-Y/2	9 mm	tactile coated	beige
DPSACS 935-Y/2	9 mm	tactile coated	brown
DPSAE 100-Y/2	10 mm	anodised	silver
DPSAE 100-Y/20	10 mm	anodised	silver
DPSAE 100-T-Y/2	10 mm	anodised	titanium
DPSAE 100-T-Y/20	10 mm	anodised	titanium
DPSA 1062-SF-Y ECO/2	10 mm	brushed	silver
DPSA 1063-SF-Y ECO/2	10 mm	brushed	titanium
DPSA 1062-SF-Y/2	10 mm	brushed, high-gloss anodised	silver
DPSA 1062-SF-Y/20	10 mm	brushed, high-gloss anodised	silver
DPSA 1063-SF-Y/2	10 mm	brushed, high-gloss anodised	titanium
DPSA 1063-SF-Y/20	10 mm	brushed, high-gloss anodised	titanium
DPSA 1061-Y/2	10 mm	high-gloss anodised	gold
DPSA 1062-Y/2	10 mm	high-gloss anodised	silver
DPSA 1062-Y/20	10 mm	high-gloss anodised	silver
DPSA 1063-Y/2	10 mm	high-gloss anodised	titanium
DPSA 1063-Y/20	10 mm	high-gloss anodised	titanium
DPSA 1062-Y ECO/2	10 mm	high-gloss polished	silver
DPSA 1063-Y ECO/2	10 mm	high-gloss polished	titanium
DPSAE 100-Y ECO/2	10 mm	matt	silver
DPSAE 100-T-Y ECO/2	10 mm	matt	titanium
DPSACS 1033-Y/2	10 mm	tactile coated	anthracite
DPSACS 1032-Y/2	10 mm	tactile coated	beige
DPSACS 1035-Y/2	10 mm	tactile coated	brown
DPSAE 110-Y/2	11 mm	anodised	silver
DPSAE 110-Y/20	11 mm	anodised	silver
DPSAE 110-T-Y/2	11 mm	anodised	titanium
DPSAE 110-T-Y/20	11 mm	anodised	titanium
DPSAE 110-SW-Y/2	11 mm	anodised, matt	black matt
DPSAE 110-SW-Y/20	11 mm	anodised, matt	black matt
DPSA 1162-SF-Y ECO/2	11 mm	brushed	silver
DPSA 1163-SF-Y ECO/2	11 mm	brushed	titanium

06 May 2025 02:34 AM





DPSA 1162-SF-Y/2	11 mm	brushed, high-gloss anodised	silver
DPSA 1162-SF-Y/20	11 mm	brushed, high-gloss anodised	silver
DPSA 1163-SF-Y/2	11 mm	brushed, high-gloss anodised	titanium
DPSA 1163-SF-Y/20	11 mm	brushed, high-gloss anodised	titanium
DPSA 1161-Y/2	11 mm	high-gloss anodised	gold
DPSA 1161-Y/20	11 mm	high-gloss anodised	
DPSA 1128-Y/2	11 mm		gold
DPSA 1120-1/2		high-gloss anodised	mercury
	11 mm	high-gloss anodised	silver
DPSA 1162-Y/20	11 mm	high-gloss anodised	silver
DPSA 1163-Y/2	11 mm	high-gloss anodised	titanium
DPSA 1162-Y ECO/2	11 mm	high-gloss polished	silver
DPSA 1163-Y ECO/2	11 mm	high-gloss polished	titanium
DPSAE 110-SW-Y ECO/2	11 mm	matt	black matt
DPSAE 110-Y ECO/20	11 mm	matt	silver
DPSAE 110-Y ECO/2	11 mm	matt	silver
DPSAE 110-T-Y ECO/2	11 mm	matt	titanium
DPSACS 1133-Y/2	11 mm	tactile coated	anthracite
DPSACS 1132-Y/2	11 mm	tactile coated	beige
DPSACS 1135-Y/2	11 mm	tactile coated	brown
DPSAE 125-Y/2	12.5 mm	anodised	silver
DPSAE 125-Y/20	12.5 mm	anodised	silver
DPSAE 125-T-Y/2	12.5 mm	anodised	titanium
DPSAE 125-T-Y/20	12.5 mm	anodised	titanium
DPSA 1262-SF-Y ECO/2	12.5 mm	brushed	silver
DPSA 1263-SF-Y ECO/2	12.5 mm	brushed	titanium
DPSA 1262-SF-Y/2	12.5 mm	brushed, high-gloss anodised	silver
DPSA 1262-SF-Y/20	12.5 mm	brushed, high-gloss anodised	silver
DPSA 1263-SF-Y/2	12.5 mm	brushed, high-gloss anodised	titanium
DPSA 1263-SF-Y/20	12.5 mm	brushed, high-gloss anodised	titanium
DPSA 1261-Y/2	12.5 mm	high-gloss anodised	gold
DPSA 1261-Y/20	12.5 mm	high-gloss anodised	gold
DPSA 1262-Y/2	12.5 mm	high-gloss anodised	silver
DPSA 1262-Y/20	12.5 mm	high-gloss anodised	silver
DPSA 1263-Y/2	12.5 mm	high-gloss anodised	titanium
DPSA 1262-Y ECO/2	12.5 mm	high-gloss polished	silver
DPSA 1263-Y ECO/2	12.5 mm	high-gloss polished	titanium
DPSAE 125-Y ECO/2	12.5 mm	matt	silver
DPSAE 125-T-Y ECO/2	12.5 mm	matt	titanium
DI OAL 120-1-1 ECO/2	12.0 111111	man	utaniuiII

06 May 2025 02:34 AM





DPSACS 1233-Y/2	12.5 mm	tactile coated	anthracite
DI 67.00 1200 172	12.0 11111	tactile coated	
DPSACS 1232-Y/2	12.5 mm	tactile coated	beige
DPSACS 1235-Y/2	12.5 mm	tactile coated	brown
		anodised	copper
		anodised	copper
		anodised, brushed	copper
		anodised, brushed	copper
		brushed, high-gloss anodised	mercury
DPSAC 11152-Y/2		powder coated	warm white
DPSAC 9152-Y/2		powder coated	warm white

06 May 2025 02:34 AM