EN Datasheet

SQUARELINE Aluminium

Corner Piece For Profile Series Squareline






TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	[Aluminium], [Metal die-cast]
Surface	[anodised], [anodised],[brushed], [brushed],[high-gloss anodised], [powder coated], [tactile coated], [matt], [anodised],[matt], [high-gloss anodised], [brushed], [high-gloss polished]
Colour	copper, mercury, white, warm white, beige, anthracite, brown, silver, titanium, black matt, gold, black, bronze, basalt grey matt (RAL 7012), white (RAL 9003), black matt (RAL 9005), sand (RAL 0808005)
Height	12.5 mm, 4.5 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm

PRODUCT VARIANTS

Ident	Height	Surface	Colour
DPSAE 45-Y/2	4.5 mm	anodised	silver

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

The recognised standards and regulations of technology must be observed. Previous data sheets are invalid.

DPSAE 45-Y/20	4.5 mm	anodised	silver
DPSAE 45-T-Y/2	4.5 mm	anodised	titanium
DPSA 461-Y/2	4.5 mm	high-gloss anodised	gold
DPSA 462-Y/2	4.5 mm	high-gloss anodised	silver
DPSAE 70-Y/2	7 mm	anodised	silver
DPSAE 70-Y/20	7 mm	anodised	silver
DPSAE 70-T-Y/2	7 mm	anodised	titanium
DPSAE 70-T-Y/20	7 mm	anodised	titanium
DPSA 762-SF-Y/2	7 mm	brushed, high-gloss anodised	silver
DPSA 762-SF-Y/20	7 mm	brushed, high-gloss anodised	silver
DPSA 763-SF-Y/2	7 mm	brushed, high-gloss anodised	titanium
DPSA 763-SF-Y/20	7 mm	brushed, high-gloss anodised	titanium
DPSA 761-Y/2	7 mm	high-gloss anodised	gold
DPSA 761-Y/20	7 mm	high-gloss anodised	gold
DPSA 762-Y/2	7 mm	high-gloss anodised	silver
DPSA 762-Y/20	7 mm	high-gloss anodised	silver
DPSA 763-Y/2	7 mm	high-gloss anodised	titanium
DPSACS 733-Y/2	7 mm	tactile coated	anthracite
DPSACS 732-Y/2	7 mm	tactile coated	beige
DPSACS 735-Y/2	7 mm	tactile coated	brown
DPSAC 833-Y/1	8 mm	powder coated	black
DPSAC 852-Y/1	8 mm	powder coated	gold
DPSAC 830-Y/1	8 mm	powder coated	white (RAL 9003)
DPSAE 90-Y/2	9 mm	anodised	silver
DPSAE 90-Y/20	9 mm	anodised	silver
DPSAE 90-Y/1	9 mm	anodised	silver
DPSAE 90-T-Y/2	9 mm	anodised	titanium
DPSAE 90-T-Y/20	9 mm	anodised	titanium
DPSAE 90-SW-Y/2	9 mm	anodised, matt	black matt
DPSA 962-SF-Y/2	9 mm	brushed, high-gloss anodised	silver
DPSA 962-SF-Y/20	9 mm	brushed, high-gloss anodised	silver
DPSA 962-SF-Y/1	9 mm	brushed, high-gloss anodised	silver
DPSA 963-SF-Y/2	9 mm	brushed, high-gloss anodised	titanium
DPSA 963-SF-Y/20	9 mm	brushed, high-gloss anodised	titanium
DPSA 963-SF-Y/1	9 mm	brushed, high-gloss anodised	titanium
DPSA 961-Y/2	9 mm	high-gloss anodised	gold
DPSA 961-Y/20	9 mm	high-gloss anodised	gold

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DPSA 961-Y/1	9 mm	high-gloss anodised	gold
DPSA 962-Y/2	9 mm	high-gloss anodised	silver
DPSA 962-Y/20	9 mm	high-gloss anodised	silver
DPSA 962-Y/1	9 mm	high-gloss anodised	silver
DPSA 963-Y/2	9 mm	high-gloss anodised	titanium
DPSAE 90-Y ECO/20	9 mm	matt	silver
DPSAE 90-Y ECO/2	9 mm	matt	silver
DPSACM 911-Y/1	9 mm	powder coated	black matt (RAL 9005)
DPSAC 955-Y/1	9 mm	powder coated	bronze
DPSAC 954-Y/1	9 mm	powder coated	copper
DPSAC 952-Y/1	9 mm	powder coated	gold
DPSAC 980-Y/1	9 mm	powder coated	sand (RAL 0808005)
DPSAC 953-Y/1	9 mm	powder coated	titanium
DPSACS 933-Y/2	9 mm	tactile coated	anthracite
DPSACS 932-Y/2	9 mm	tactile coated	beige
DPSACS 935-Y/2	9 mm	tactile coated	brown
DPSAE 100-Y/2	10 mm	anodised	silver
DPSAE 100-Y/20	10 mm	anodised	silver
DPSAE 100-Y/1	10 mm	anodised	silver
DPSAE 100-T-Y/2	10 mm	anodised	titanium
DPSAE 100-T-Y/20	10 mm	anodised	titanium
DPSA 1062-SF-Y ECO/2	10 mm	brushed	silver
DPSA 1062-SF-Y/2	10 mm	brushed, high-gloss anodised	silver
DPSA 1062-SF-Y/20	10 mm	brushed, high-gloss anodised	silver
DPSA 1062-SF-Y/1	10 mm	brushed, high-gloss anodised	silver
DPSA 1063-SF-Y/2	10 mm	brushed, high-gloss anodised	titanium
DPSA 1063-SF-Y ECO/2	10 mm	brushed, high-gloss anodised	titanium
DPSA 1063-SF-Y/20	10 mm	brushed, high-gloss anodised	titanium
DPSA 1063-SF-Y/1	10 mm	brushed, high-gloss anodised	titanium
DPSA 1061-Y/2	10 mm	high-gloss anodised	gold
DPSA 1061-Y/1	10 mm	high-gloss anodised	gold
DPSA 1062-Y/2	10 mm	high-gloss anodised	silver
DPSA 1062-Y/20	10 mm	high-gloss anodised	silver
DPSA 1062-Y/1	10 mm	high-gloss anodised	silver
DPSA 1063-Y/2	10 mm	high-gloss anodised	titanium
DPSA 1063-Y/20	10 mm	high-gloss anodised	titanium
DPSA 1062-Y ECO/2	10 mm	high-gloss polished	silver

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DPSA 1063-Y ECO/2	10 mm	high-gloss polished	titanium
DPSAE 100-Y ECO/2	10 mm	matt	silver
DPSAE 100-T-Y ECO/2	10 mm	matt	titanium
DPSACM 100-7012-Y/1	10 mm	powder coated	basalt grey matt (RAL 7012)
DPSAC 1033-Y/1	10 mm	powder coated	black
DPSACM 1011-Y/1	10 mm	powder coated	black matt (RAL 9005)
DPSAC 1055-Y/1	10 mm	powder coated	bronze
DPSAC 1054-Y/1	10 mm	powder coated	copper
DPSAC 1052-Y/1	10 mm	powder coated	gold
DPSAC 1080-Y/1	10 mm	powder coated	sand (RAL 0808005)
DPSAC 1053-Y/1	10 mm	powder coated	titanium
DPSAC 1030-Y/1	10 mm	powder coated	white (RAL 9003)
DPSACS 1033-Y/2	10 mm	tactile coated	anthracite
DPSACS 1032-Y/2	10 mm	tactile coated	beige
DPSACS 1035-Y/2	10 mm	tactile coated	brown
DPSAE 110-Y/2	11 mm	anodised	silver
DPSAE 110-Y/20	11 mm	anodised	silver
DPSAE 110-Y/1	11 mm	anodised	silver
DPSAE 110-T-Y/2	11 mm	anodised	titanium
DPSAE 110-T-Y/20	11 mm	anodised	titanium
DPSAE 110-SW-Y/2	11 mm	anodised, matt	black matt
DPSAE 110-SW-Y/20	11 mm	anodised, matt	black matt
DPSA 1162-SF-Y ECO/2	11 mm	brushed	silver
DPSA 1163-SF-Y ECO/2	11 mm	brushed	titanium
DPSA 1162-SF-Y/2	11 mm	brushed, high-gloss anodised	silver
DPSA 1162-SF-Y/20	11 mm	brushed, high-gloss anodised	silver
DPSA 1162-SF-Y/1	11 mm	brushed, high-gloss anodised	silver
DPSA 1163-SF-Y/2	11 mm	brushed, high-gloss anodised	titanium
DPSA 1163-SF-Y/20	11 mm	brushed, high-gloss anodised	titanium
DPSA 1163-SF-Y/1	11 mm	brushed, high-gloss anodised	titanium
DPSA 1161-Y/2	11 mm	high-gloss anodised	gold
DPSA 1161-Y/20	11 mm	high-gloss anodised	gold
DPSA 1161-Y/1	11 mm	high-gloss anodised	gold
DPSA 1128-Y/2	11 mm	high-gloss anodised	mercury
DPSA 1162-Y/2	11 mm	high-gloss anodised	silver
DPSA 1162-Y/20	11 mm	high-gloss anodised	silver
DPSA 1162-Y/1	11 mm	high-gloss anodised	silver

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

The recognised standards and regulations of technology must be observed. Previous data sheets are invalid.

DPSA 1163-Y/2	11 mm	high-gloss anodised	titanium
DPSA 1162-Y ECO/2	11 mm	high-gloss polished	silver
DPSA 1163-Y ECO/2	11 mm	high-gloss polished	titanium
DPSAE 110-SW-Y ECO/2	11 mm	matt	black matt
DPSAE 110-Y ECO/20	11 mm	matt	silver
DPSAE 110-Y ECO/2	11 mm	matt	silver
DPSAE 110-T-Y ECO/2	11 mm	matt	titanium
DPSACM 110-7012-Y/1	11 mm	powder coated	basalt grey matt (RAL 7012)
DPSAC 1133-Y/1	11 mm	powder coated	black
DPSACM 1111-Y/1	11 mm	powder coated	black matt (RAL 9005)
DPSAC 1155-Y/1	11 mm	powder coated	bronze
DPSAC 1154-Y/1	11 mm	powder coated	copper
DPSAC 1152-Y/1	11 mm	powder coated	gold
DPSAC 1180-Y/1	11 mm	powder coated	sand (RAL 0808005)
DPSAC 1153-Y/1	11 mm	powder coated	titanium
DPSACS 1133-Y/2	11 mm	tactile coated	anthracite
DPSACS 1132-Y/2	11 mm	tactile coated	beige
DPSACS 1135-Y/2	11 mm	tactile coated	brown
DPSAE 125-Y/2	12.5 mm	anodised	silver
DPSAE 125-Y/20	12.5 mm	anodised	silver
DPSAE 125-Y/1	12.5 mm	anodised	silver
DPSAE 125-T-Y/2	12.5 mm	anodised	titanium
DPSAE 125-T-Y/20	12.5 mm	anodised	titanium
DPSA 1262-SF-Y ECO/2	12.5 mm	brushed	silver
DPSA 1263-SF-Y ECO/2	12.5 mm	brushed	titanium
DPSA 1262-SF-Y/2	12.5 mm	brushed, high-gloss anodised	silver
DPSA 1262-SF-Y/20	12.5 mm	brushed, high-gloss anodised	silver
DPSA 1262-SF-Y/1	12.5 mm	brushed, high-gloss anodised	silver
DPSA 1263-SF-Y/2	12.5 mm	brushed, high-gloss anodised	titanium
DPSA 1263-SF-Y/20	12.5 mm	brushed, high-gloss anodised	titanium
DPSA 1263-SF-Y/1	12.5 mm	brushed, high-gloss anodised	titanium
DPSA 1261-Y/2	12.5 mm	high-gloss anodised	gold
DPSA 1261-Y/20	12.5 mm	high-gloss anodised	gold
DPSA 1261-Y/1	12.5 mm	high-gloss anodised	gold
DPSA 1262-Y/2	12.5 mm	high-gloss anodised	silver
DPSA 1262-Y/20	12.5 mm	high-gloss anodised	silver
DPSA 1262-Y/1	12.5 mm	high-gloss anodised	silver

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DPSA 1263-Y/2	12.5 mm	high-gloss anodised	titanium
DPSA 1262-Y ECO/2	12.5 mm	high-gloss polished	silver
DPSA 1263-Y ECO/2	12.5 mm	high-gloss polished	titanium
DPSAE 125-Y ECO/2	12.5 mm	matt	silver
DPSAE 125-T-Y ECO/2	12.5 mm	matt	titanium
DPSAC 1233-Y/1	12.5 mm	powder coated	black
DPSAC 1255-Y/1	12.5 mm	powder coated	bronze
DPSAC 1252-Y/1	12.5 mm	powder coated	gold
DPSAC 1253-Y/1	12.5 mm	powder coated	titanium
DPSAC 1230-Y/1	12.5 mm	powder coated	white (RAL 9003)
DPSACS 1233-Y/2	12.5 mm	tactile coated	anthracite
DPSACS 1232-Y/2	12.5 mm	tactile coated	beige
DPSACS 1235-Y/2	12.5 mm	tactile coated	brown
		anodised	copper
DPSAE 125-K-Y		anodised	copper
DPSAE 90-K-SF-Y		anodised, brushed	copper
DPSAE 125-K-SF-Y		anodised, brushed	copper
DPSA 928-SF-Y/2		brushed, high-gloss anodised	mercury
DPSAC 11152-Y/2		powder coated	warm white
DPSAC 9152-Y/2		powder coated	warm white
DPSAC 1130-Y/2		powder coated	white

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com