




DURABASE DR 100++

Drainage mat for exterior flooring construction



TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	HDPE
Colour	black
Length	12.5 m
Width mm	100 cm
Surface area (sqm)	12.5 m ² , 75 m ²
Strength	10

PROCESSING

Voraussetzung ist eine den Anforderungen des Objektes angepasste Bauwerksabdichtung und ein Gefälle von mind. 2 %. Eventuelle Ausgleichsmaßnahmen sind vor Verlegung der DURABASE DR 100++-Matte unterhalb der Bauwerksabdichtung durchzuführen.

Der fachgerecht vorbereitete Untergrund muss tragfähig, eben und frei von Bestandteilen sein, die die Bauwerksabdichtung beschädigen könnten.

Bahnen auf Maß schneiden und mit dem Gittergewebe nach oben lose auf dem Untergrund auslegen.

Zur schubfesten Verbindung der Bahnen das Gittergewebe von den Noppen lösen und die Matten mit einer Überlappung von 3 Noppenreihen eindrücken.

Anschließend die gewünschte Belagskonstruktion aufbringen.

WICHTIG: Eine Verlegung des Belags im Dünnbettverfahren ist nicht möglich!

Eine ausführliche Verlegeanleitung können Sie im Internet unter www.dural.de downloaden.

Die allgemein anerkannten Regeln der Technik sind zu beachten. Die Eignung hinsichtlich der mechanischen und chemischen

12 May 2025 09:42 PM

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.



Belastbarkeit muss immer im Einzelfall überprüft werden.

PRODUCT VARIANTS

Ident	Colour	Length
DR 100++ 12/1	black	12.5 m
DR 100++ 12/6	black	12.5 m

12 May 2025 09:42 PM

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

