


DURONDELL Aluminium

External Corner For Quarter-Circle End Profile

DURONDELL



TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

| | |
|----------|---|
| Material | Aluminium, Metal die-cast |
| Surface | high-gloss anodised, anodised,brushed, tactile coated, anodised, matt, brushed,high-gloss anodised, high-gloss polished |
| Colour | titanium, silver, copper, beige, anthracite, brown, gold, champagne, black matt, mercury |
| Height b | 12.5 mm, 6 mm, 8 mm, 10 mm, 11 mm |

MATERIAL

Aluminium can be used wherever a medium mechanical stresses are expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which can be difficult to remove afterwards. High humidity during the drying phase can intensify this process. Always wipe off tile adhesive or grout on visible surfaces immediately with plenty of water, then wipe dry and ensure that the room is well ventilated.

Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

CARE

Aluminium does not require any special care. If necessary, it can simply be damp-cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry.

Acidic, alkaline and abrasive cleaning agents should be avoided.

PROCESSING

1. Select the profile according to the tile thickness.
- 2 Apply tile adhesive with a notched trowel.
- 3 Press the profile into the adhesive bed and align.
4. Fill over the entire surface of the fixing leg.
5. Press the tiles firmly into place and align them so that they are flush with the upper edge of the profile. Lay the tiles fully flush.
- 6 Use suitable inner or outer corner pieces.

7. Leave a joint of 1-2 mm to the profile.
8. Fill the space between the tiles and the profile completely with grout.

Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clean water. Then rub dry.

The generally recognised rules of technology must be observed. Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

PRODUCT VARIANTS

| Ident | Height b | Surface | Colour |
|--------------------|----------|------------------------------|------------|
| DRAE 60-Y/2 | 6 mm | anodised | silver |
| DRAE 60-Y/20 | 6 mm | anodised | silver |
| DRA 662-Y/2 | 6 mm | high-gloss anodised | silver |
| DRACS 633-Y/2 | 6 mm | tactile coated | anthracite |
| DRACS 632-Y/2 | 6 mm | tactile coated | beige |
| DRACS 635-Y/2 | 6 mm | tactile coated | brown |
| DRAE 80SWY/2 | 8 mm | anodised | black matt |
| DRAE 80SWY/20 | 8 mm | anodised | black matt |
| DRAE 80-Y/2 | 8 mm | anodised | silver |
| DRAE 80-Y/20 | 8 mm | anodised | silver |
| DRAE 80-T-Y/2 | 8 mm | anodised | titanium |
| DRAE 80-T-Y/20 | 8 mm | anodised | titanium |
| DRA 862-SF-Y/2 | 8 mm | brushed, high-gloss anodised | silver |
| DRA 862-SF-Y ECO/2 | 8 mm | brushed, high-gloss anodised | silver |
| DRA 863-SF-Y/2 | 8 mm | brushed, high-gloss anodised | titanium |
| DRA 863-SF-Y ECO/2 | 8 mm | brushed, high-gloss anodised | titanium |
| DRA 862-Y/2 | 8 mm | high-gloss anodised | silver |
| DRA 862-Y/20 | 8 mm | high-gloss anodised | silver |
| DRA 862-Y ECO/2 | 8 mm | high-gloss polished | silver |
| DRAE 80-Y ECO/2 | 8 mm | matt | silver |
| DRAE 80-T-Y ECO/2 | 8 mm | matt | titanium |
| DRACS 833-Y/2 | 8 mm | tactile coated | anthracite |
| DRACS 832-Y/2 | 8 mm | tactile coated | beige |
| DRACS 835-Y/2 | 8 mm | tactile coated | brown |
| DRAE 100SWY/2 | 10 mm | anodised | black matt |
| DRAE 100SWY/20 | 10 mm | anodised | black matt |
| DRAE 100-C-Y/2 | 10 mm | anodised | champagne |
| DRAE 100-C-Y/20 | 10 mm | anodised | champagne |

| | | | |
|----------------------|---------|------------------------------|------------|
| DRAE 100-G-Y/2 | 10 mm | anodised | gold |
| DRAE 100-G-Y/20 | 10 mm | anodised | gold |
| DRAE 100-Y/2 | 10 mm | anodised | silver |
| DRAE 100-Y/20 | 10 mm | anodised | silver |
| DRAE 100-T-Y/2 | 10 mm | anodised | titanium |
| DRAE 100-T-Y/20 | 10 mm | anodised | titanium |
| DRA 1028-SF-Y/2 | 10 mm | brushed, high-gloss anodised | mercury |
| DRA 1062-SF-Y/2 | 10 mm | brushed, high-gloss anodised | silver |
| DRA 1062-SF-Y ECO/2 | 10 mm | brushed, high-gloss anodised | silver |
| DRA 1062-SF-Y/20 | 10 mm | brushed, high-gloss anodised | silver |
| DRA 1062-SF-Y ECO/20 | 10 mm | brushed, high-gloss anodised | silver |
| DRA 1063-SF-Y/20 | 10 mm | brushed, high-gloss anodised | titanium |
| DRA 1063-SF-Y/2 | 10 mm | brushed, high-gloss anodised | titanium |
| DRA 1063-SF-Y ECO/2 | 10 mm | brushed, high-gloss anodised | titanium |
| DRA 1061-Y/2 | 10 mm | high-gloss anodised | gold |
| DRA 1028-Y/2 | 10 mm | high-gloss anodised | mercury |
| DRA 1062-Y/2 | 10 mm | high-gloss anodised | silver |
| DRA 1062-Y/20 | 10 mm | high-gloss anodised | silver |
| DRA 1062-Y ECO/2 | 10 mm | high-gloss polished | silver |
| DRA 1062-Y ECO/20 | 10 mm | high-gloss polished | silver |
| DRAE 100SWY ECO/2 | 10 mm | matt | black matt |
| DRAE 100-Y ECO/2 | 10 mm | matt | silver |
| DRAE 100-Y ECO/20 | 10 mm | matt | silver |
| DRAE 100-T-Y ECO/2 | 10 mm | matt | titanium |
| DRACS 1033-Y/2 | 10 mm | tactile coated | anthracite |
| DRACS 1032-Y/2 | 10 mm | tactile coated | beige |
| DRACS 1035-Y/2 | 10 mm | tactile coated | brown |
| DRAE 110-Y/2 | 11 mm | anodised | silver |
| DRAE 110-Y ECO/2 | 11 mm | matt | silver |
| DRACS 1133-Y/2 | 11 mm | tactile coated | anthracite |
| DRACS 1132-Y/2 | 11 mm | tactile coated | beige |
| DRACS 1135-Y/2 | 11 mm | tactile coated | brown |
| DRAE 125SWY/2 | 12.5 mm | anodised | black matt |
| DRAE 125SWY/20 | 12.5 mm | anodised | black matt |
| DRAE 125-Y/2 | 12.5 mm | anodised | silver |
| DRAE 125-Y/20 | 12.5 mm | anodised | silver |
| DRAE 125-T-Y/2 | 12.5 mm | anodised | titanium |

| | | | |
|---------------------|---------|------------------------------|------------|
| DRAE 125-T-Y/20 | 12.5 mm | anodised | titanium |
| DRA 1262-SF-Y/2 | 12.5 mm | brushed, high-gloss anodised | silver |
| DRA 1262-SF-Y ECO/2 | 12.5 mm | brushed, high-gloss anodised | silver |
| DRA 1262-SF-Y/20 | 12.5 mm | brushed, high-gloss anodised | silver |
| DRA 1263-SF-Y/2 | 12.5 mm | brushed, high-gloss anodised | titanium |
| DRA 1263-SF-Y ECO/2 | 12.5 mm | brushed, high-gloss anodised | titanium |
| DRA 1262-Y/2 | 12.5 mm | high-gloss anodised | silver |
| DRA 1262-Y/20 | 12.5 mm | high-gloss anodised | silver |
| DRA 1262-Y ECO/2 | 12.5 mm | high-gloss polished | silver |
| DRA 1262-Y ECO/20 | 12.5 mm | high-gloss polished | silver |
| DRAE 125-Y ECO/2 | 12.5 mm | matt | silver |
| DRAE 125-T-Y ECO/2 | 12.5 mm | matt | titanium |
| DRACS 1233-Y/2 | 12.5 mm | tactile coated | anthracite |
| DRACS 1232-Y/2 | 12.5 mm | tactile coated | beige |
| DRACS 1235-Y/2 | 12.5 mm | tactile coated | brown |
| DRAE 80-G-Y/2 | | anodised | gold |
| | | anodised, brushed | copper |
| DRA 1063-Y/2 | | high-gloss anodised | silver |
| DRA 863-Y/2 | | high-gloss anodised | titanium |