
# **DURONDELL** Aluminium

Internal Corner For Round Edge Trim Profile DURONDELL



### TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	Aluminium, Metal die-cast
Surface	powder coated, high-gloss anodised, anodised,brushed, tactile coated, anodised, matt, brushed,high-gloss anodised, high-gloss polished
Colour	warm white, titanium, copper, beige, anthracite, brown, black matt, silver, gold, champagne, mercury
Height b	12.5 mm, 6 mm, 8 mm, 10 mm, 11 mm, 125 mm

## MATERIAL

Aluminium can be used wherever a medium mechanical stresses are expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which can be difficult to remove afterwards. High humidity during the drying phase can intensify this process. Always wipe off tile adhesive or grout on visible surfaces immediately with plenty of water, then wipe dry and ensure that the room is well ventilated.

Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

## CARE

Aluminium does not require any special care. If necessary, it can simply be damp-cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry.

Acidic, alkaline and abrasive cleaning agents should be avoided.

### PROCESSING

- 1. Select the profile according to the tile thickness.
- 2 Apply tile adhesive with a notched trowel.
- 3 Press the profile into the adhesive bed and align.
- 4. Fill over the entire surface of the fixing leg.
- 5. Press the tiles firmly into place and align them so that they are flush with the upper edge of the profile. Lay the tiles fully flush.
- 6 Use suitable inner or outer corner pieces.

7. Leave a joint of 1-2 mm to the profile.

8. Fill the space between the tiles and the profile completely with grout.

Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clean water. Then rub dry.

The generally recognised rules of technology must be observed. Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

Ident	Height b	Surface	Colour
DRAE 60-YI/2	6 mm	anodised	silver
DRAE 60-YI/20	6 mm	anodised	silver
DRA 662-YI/2	6 mm	high-gloss anodised	silver
DRACS 633-YI/2	6 mm	tactile coated	anthracite
DRACS 632-YI/2	6 mm	tactile coated	beige
DRACS 635-YI/2	6 mm	tactile coated	brown
DRAE 80SWYI/2	8 mm	anodised	black matt
DRAE 80SWYI/20	8 mm	anodised	black matt
DRAE 80-YI/2	8 mm	anodised	silver
DRAE 80-YI/20	8 mm	anodised	silver
DRAE 80-T-YI/2	8 mm	anodised	titanium
DRAE 80-T-YI/20	8 mm	anodised	titanium
DRA 862-SF-YI/2	8 mm	brushed, high-gloss anodised	silver
DRA 862-SF-YI ECO/2	8 mm	brushed, high-gloss anodised	silver
DRA 862-SF-YI/20	8 mm	brushed, high-gloss anodised	silver
DRA 863-YI-SF/2	8 mm	brushed, high-gloss anodised	titanium
DRA 863-SF-YI ECO/2	8 mm	brushed, high-gloss anodised	titanium
DRA 863-SF-YI/20	8 mm	brushed, high-gloss anodised	titanium
DRA 862-YI/2	8 mm	high-gloss anodised	silver
DRA 862-YI/20	8 mm	high-gloss anodised	silver
DRA 862-YI ECO/2	8 mm	high-gloss polished	silver
DRAE 80-YI ECO/2	8 mm	matt	silver
DRAE 80-T-YI ECO/2	8 mm	matt	titanium
DRACS 833-YI/2	8 mm	tactile coated	anthracite
DRACS 832-YI/2	8 mm	tactile coated	beige
DRACS 835-YI/2	8 mm	tactile coated	brown
DRAE 100SWYI/20	10 mm	anodised	black matt
DRAE 100SWYI/2	10 mm	anodised	black matt

PRODUCT VARIANTS

DRAE 100-C-YI/2	10 mm	anodised	champagne
DRAE 100-C-YI/20	10 mm	anodised	champagne
DRAE 100-G-YI/2	10 mm	anodised	gold
DRAE 100-YI/2	10 mm	anodised	silver
DRAE 100-YI/20	10 mm	anodised	silver
DRAE 100-T-YI/2	10 mm	anodised	titanium
DRAE 100-T-YI/20	10 mm	anodised	titanium
DRA 1028-SF-YI/2	10 mm	brushed, high-gloss anodised	mercury
DRA 1062-SF-YI/2	10 mm	brushed, high-gloss anodised	silver
DRA 1062-SF-YI ECO/2	10 mm	brushed, high-gloss anodised	silver
DRA 1062-SF-YI/20	10 mm	brushed, high-gloss anodised	silver
DRA 1063-SF-YI/2	10 mm	brushed, high-gloss anodised	titanium
DRA 1063-SF-YI ECO/2	10 mm	brushed, high-gloss anodised	titanium
DRA 1061-YI/2	10 mm	high-gloss anodised	gold
DRA 1028-YI/2	10 mm	high-gloss anodised	mercury
DRA 1062-YI/2	10 mm	high-gloss anodised	silver
DRA 1062-YI/20	10 mm	high-gloss anodised	silver
DRA 1062-YI ECO/2	10 mm	high-gloss polished	silver
DRA 1062-YI ECO/20	10 mm	high-gloss polished	silver
DRAE 100SWYI ECO/2	10 mm	matt	black matt
DRAE 100-YI ECO/2	10 mm	matt	silver
DRAE 100-YI ECO/20	10 mm	matt	silver
DRAE 100-T-YI ECO/2	10 mm	matt	titanium
DRACS 1033-YI/2	10 mm	tactile coated	anthracite
DRACS 1032-YI/2	10 mm	tactile coated	beige
DRACS 1035-YI/2	10 mm	tactile coated	brown
DRAE 110-YI/2	11 mm	anodised	silver
DRAE 110-YI ECO/2	11 mm	matt	silver
DRACS 1133-YI/2	11 mm	tactile coated	anthracite
DRACS 1132-YI/2	11 mm	tactile coated	beige
DRACS 1135-YI/2	11 mm	tactile coated	brown
DRAE 125SWYI/2	12.5 mm	anodised	black matt
DRAE 125SWYI/20	12.5 mm	anodised	black matt
DRAE 125-YI/2	12.5 mm	anodised	silver
DRAE 125-YI/20	12.5 mm	anodised	silver
DRAE 125-T-YI/2	12.5 mm	anodised	titanium
DRAE 125-T-YI/20	12.5 mm	anodised	titanium

DRA 1262-SF-YI/2	12.5 mm	brushed, high-gloss anodised	silver
DRA 1262-SF-YI ECO/2	12.5 mm	brushed, high-gloss anodised	silver
DRA 1263-SF-YI/2	12.5 mm	brushed, high-gloss anodised	titanium
DRA 1263-SF-YI ECO/2	12.5 mm	brushed, high-gloss anodised	titanium
DRA 1262-YI/2	12.5 mm	high-gloss anodised	silver
DRA 1262-YI/20	12.5 mm	high-gloss anodised	silver
DRA 1262-YI ECO/2	12.5 mm	high-gloss polished	silver
DRA 1262-YI ECO/20	12.5 mm	high-gloss polished	silver
DRAE 125-YI ECO/2	12.5 mm	matt	silver
DRAE 125-T-YI ECO/2	12.5 mm	matt	titanium
DRACS 1233-YI/2	125 mm	tactile coated	anthracite
DRACS 1232-YI/2	125 mm	tactile coated	beige
DRACS 1235-YI/2	125 mm	tactile coated	brown
		anodised, brushed	copper
DRA 863-YI/2		high-gloss anodised	titanium
DRA 1063-YI/2		high-gloss anodised	titanium
		powder coated	warm white