




DURONDELL Aluminium

Internal Corner For Round Edge Trim Profile DURONDELL



TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	Aluminium, metal die-cast
Surface	powder coated, high-gloss anodised, anodised, gebürstet, tactile coated, anodised, matt, gebürstet, high-gloss anodised, high-gloss polished
Colour	warm white, titanium, copper, beige, anthracite, brown, satin silver, silver, satin gold, champagne, satin titanium, black, mercury, gold, white, concrete grey (RAL 0006500), black matt (RAL 9005), sand (RAL 0808005)
Height (b)	12.5 mm, 6 mm, 8 mm, 10 mm, 11 mm, 125 mm

MATERIAL

Aluminium can be used wherever a medium mechanical stresses are expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which can be difficult to remove afterwards. High humidity during the drying phase can intensify this process. Always wipe off tile adhesive or grout on visible surfaces immediately with plenty of water, then wipe dry and ensure that the room is well ventilated.

Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

CARE

Aluminium does not require any special care. If necessary, it can simply be damp-cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry.

Acidic, alkaline and abrasive cleaning agents should be avoided.

PROCESSING

1. Select the profile according to the tile thickness.
2. Apply tile adhesive with a notched trowel.
3. Press the profile into the adhesive bed and align.
4. Fill over the entire surface of the fixing leg.
5. Press the tiles firmly into place and align them so that they are flush with the upper edge of the profile. Lay the tiles fully flush.
6. Use suitable inner or outer corner pieces.
7. Leave a joint of 1-2 mm to the profile.

05 February 2025 05:55

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.



8. Fill the space between the tiles and the profile completely with grout.

Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clean water. Then rub dry.

The generally recognised rules of technology must be observed. Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

PRODUCT VARIANTS

Ident	Height (b)	Surface	Colour
DRAE 60-YI/2	6 mm	anodised	silver
DRAE 60-YI/20	6 mm	anodised	silver
DRA 662-YI/2	6 mm	high-gloss anodised	silver
DRAC 630-YI/2	6 mm	powder coated	white
DRACS 633-YI/2	6 mm	tactile coated	anthracite
DRACS 632-YI/2	6 mm	tactile coated	beige
DRACS 635-YI/2	6 mm	tactile coated	brown
DRAE 80SWYI/2	8 mm	anodised	black matt (RAL 9005)
DRAE 80SWYI/20	8 mm	anodised	black matt (RAL 9005)
DRAE 80-YI/2	8 mm	anodised	satın silver
DRAE 80-YI/20	8 mm	anodised	silver
DRAE 80-T-YI/2	8 mm	anodised	titanium
DRAE 80-T-YI/20	8 mm	anodised	titanium
DRA 862-SF-YI/2	8 mm	gebürstet, high-gloss anodised	silver
DRA 862-SF-YI ECO/2	8 mm	gebürstet, high-gloss anodised	silver
DRA 862-SF-YI/20	8 mm	gebürstet, high-gloss anodised	silver
DRA 863-YI-SF/2	8 mm	gebürstet, high-gloss anodised	titanium
DRA 863-SF-YI ECO/2	8 mm	gebürstet, high-gloss anodised	titanium
DRA 863-SF-YI/20	8 mm	gebürstet, high-gloss anodised	titanium
DRA 862-YI/2	8 mm	high-gloss anodised	silver
DRA 862-YI/20	8 mm	high-gloss anodised	silver
DRA 862-YI ECO/2	8 mm	high-gloss polished	silver
DRAE 80-YI ECO/2	8 mm	matt	silver
DRAE 80-T-YI ECO/2	8 mm	matt	titanium
DRACM 811-YI/2	8 mm	powder coated	black matt (RAL 9005)
DRACM 811-YI/20	8 mm	powder coated	black matt (RAL 9005)
DRAC 865-YI/2	8 mm	powder coated	concrete grey (RAL 0006500)
DRAC 880-YI/2	8 mm	powder coated	sand (RAL 0808005)
DRAC 830-YI/2	8 mm	powder coated	white
DRACS 833-YI/2	8 mm	tactile coated	anthracite
DRACS 832-YI/2	8 mm	tactile coated	beige

05 February 2025 05:55

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.



DRACS 835-YI/2	8 mm	tactile coated	brown
DRAE 100SWYI/20	10 mm	anodised	black matt (RAL 9005)
DRAE 100SWYI/2	10 mm	anodised	black matt (RAL 9005)
DRAE 100-C-YI/2	10 mm	anodised	champagne
DRAE 100-C-YI/20	10 mm	anodised	champagne
DRAE 100-G-YI/2	10 mm	anodised	satin gold
DRAE 100-YI/2	10 mm	anodised	satin silver
DRAE 100-T-YI/2	10 mm	anodised	satin titanium
DRAE 100-YI/20	10 mm	anodised	silver
DRAE 100-T-YI/20	10 mm	anodised	titanium
DRA 1028-SF-YI/2	10 mm	gebürstet, high-gloss anodised	mercury
DRA 1062-SF-YI/2	10 mm	gebürstet, high-gloss anodised	silver
DRA 1062-SF-YI ECO/2	10 mm	gebürstet, high-gloss anodised	silver
DRA 1062-SF-YI/20	10 mm	gebürstet, high-gloss anodised	silver
DRA 1063-SF-YI/2	10 mm	gebürstet, high-gloss anodised	titanium
DRA 1063-SF-YI ECO/2	10 mm	gebürstet, high-gloss anodised	titanium
DRA 1061-YI/2	10 mm	high-gloss anodised	gold
DRA 1028-YI/2	10 mm	high-gloss anodised	mercury
DRA 1062-YI/2	10 mm	high-gloss anodised	silver
DRA 1062-YI/20	10 mm	high-gloss anodised	silver
DRA 1062-YI ECO/2	10 mm	high-gloss polished	silver
DRA 1062-YI ECO/20	10 mm	high-gloss polished	silver
DRAE 100SWYI ECO/2	10 mm	matt	black
DRAE 100-YI ECO/2	10 mm	matt	silver
DRAE 100-YI ECO/20	10 mm	matt	silver
DRAE 100-T-YI ECO/2	10 mm	matt	titanium
DRACM 1011-YI/2	10 mm	powder coated	black matt (RAL 9005)
DRACM 1011-YI/2 ECO	10 mm	powder coated	black matt (RAL 9005)
DRACM 1011-YI/20	10 mm	powder coated	black matt (RAL 9005)
DRAC 1065-YI/2	10 mm	powder coated	concrete grey (RAL 0006500)
DRAC 1080-YI/2	10 mm	powder coated	sand (RAL 0808005)
DRAC 1030-YI/2	10 mm	powder coated	white
DRACS 1033-YI/2	10 mm	tactile coated	anthracite
DRACS 1032-YI/2	10 mm	tactile coated	beige
DRACS 1035-YI/2	10 mm	tactile coated	brown
DRAE 110-YI/2	11 mm	anodised	silver
DRAE 110-YI ECO/2	11 mm	matt	silver
DRACS 1133-YI/2	11 mm	tactile coated	anthracite

05 February 2025 05:55

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.



DRACS 1132-YI/2	11 mm	tactile coated	beige
DRACS 1135-YI/2	11 mm	tactile coated	brown
DRAE 125SWYI/2	12.5 mm	anodised	black matt (RAL 9005)
DRAE 125SWYI/20	12.5 mm	anodised	black matt (RAL 9005)
DRAE 125-YI/2	12.5 mm	anodised	satın silver
DRAE 125-T-YI/2	12.5 mm	anodised	satın titanium
DRAE 125-YI/20	12.5 mm	anodised	silver
DRAE 125-T-YI/20	12.5 mm	anodised	titanium
DRA 1262-SF-YI/2	12.5 mm	gebürstet, high-gloss anodised	silver
DRA 1262-SF-YI ECO/2	12.5 mm	gebürstet, high-gloss anodised	silver
DRA 1263-SF-YI/2	12.5 mm	gebürstet, high-gloss anodised	titanium
DRA 1263-SF-YI ECO/2	12.5 mm	gebürstet, high-gloss anodised	titanium
DRA 1262-YI/2	12.5 mm	high-gloss anodised	silver
DRA 1262-YI/20	12.5 mm	high-gloss anodised	silver
DRA 1262-YI ECO/2	12.5 mm	high-gloss polished	silver
DRA 1262-YI ECO/20	12.5 mm	high-gloss polished	silver
DRAE 125-YI ECO/2	12.5 mm	matt	silver
DRAE 125-T-YI ECO/2	12.5 mm	matt	titanium
DRACM 1211-YI/2	12.5 mm	powder coated	black matt (RAL 9005)
DRACM 1211-YI/20	12.5 mm	powder coated	black matt (RAL 9005)
DRAC 1265-YI/2	12.5 mm	powder coated	concrete grey (RAL 0006500)
DRAC 1280-YI/2	12.5 mm	powder coated	sand (RAL 0808005)
DRAC 1230-YI/2	12.5 mm	powder coated	white
DRACS 1233-YI/2	125 mm	tactile coated	anthracite
DRACS 1232-YI/2	125 mm	tactile coated	beige
DRACS 1235-YI/2	125 mm	tactile coated	brown
		anodised, gebürstet	copper
DRA 863-YI/2		high-gloss anodised	titanium
DRA 1063-YI/2		high-gloss anodised	titanium
		powder coated	warm white

05 February 2025 05:55

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.