

EN Datasheet

DUROSOL Aluminium

L-Shaped Edge Trim Profile Made Of Aluminium







ACCESSORIES

Matching corner pieces are available as accessories.

MATERIAL

Aluminium can be used wherever a medium mechanical stresses are expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which can be difficult to remove afterwards. High humidity during the drying phase can intensify this process. Always wipe off tile adhesive or grout on visible surfaces immediately with plenty of water, then wipe dry and ensure that the room is well ventilated.

Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

CARE

Aluminium does not require any special care. If necessary, it can simply be damp-cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry.

Acidic, alkaline and abrasive cleaning agents should be avoided.

PROCESSING

1. Select the profile according to the tile thickness.
2 Apply tile adhesive with a notched trowel.
3 Press the profile into the adhesive bed and align.
4. Fill over the entire surface of the fixing leg.
5. Press the tiles firmly into place and align them so that they are flush with the upper edge of the profile. Lay the tiles fully flush.
6 Use suitable inner or outer corner pieces.
7. Leave a grout line of 1-2 mm to the profile.
8. Fill the space between the tiles and the profile completely with grout.

Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clean water. Then wipe dry.

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

The generally recognised rules of technology must be observed. Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	[Aluminium]
Surface	[powder coated], [anodised],[brushed], [natural], [high-gloss anodised], [brushed],[high-gloss anodised], [anodised], [brushed], [tactile coated]
Colour	warm white, slate grey, telegrey 2 (RAL 7046), telegrey 4 (RAL 7047), silver, natural, titanium, gold, copper, silver bullet, storm, hemp, misty grey, delorean gray, shadow, french grey, alabaster, mobe pearl, kaluha cream, flash walnut, Volcano, oyster white (RAL 1013), grey beige (RAL 1019), light grey (RAL 7035), platinum grey (RAL 7036), agate grey (RAL 7038), pale brown (RAL 8025), terra brown (RAL 8028), grey white (RAL 9002), white matt (RAL 9003), white (RAL 9003)
Length	100 cm, 250 cm, 300 cm
sight width	3 mm
Height	12.5 mm, 2 mm, 3 mm, 16.5 mm, 18.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 4.5 mm, 15 mm, 20 mm, 22 mm, 25 mm, 30 mm
Width mm	44 mm

PRODUCT VARIANTS

Ident	Height	Surface	Colour	Length
DSAE 20/250	2 mm	anodised	silver	250 cm
DSA 20/250	2 mm	natural	natural	250 cm
DSAE 30-G/250	3 mm	anodised	gold	250 cm
DSAE 30/250	3 mm	anodised	silver	250 cm
DSA 30/250	3 mm	natural	natural	250 cm
DSAE 45-G/250	4.5 mm	anodised	gold	250 cm
DSAE 45/250	4.5 mm	anodised	silver	250 cm
DSA 45/250	4.5 mm	natural	natural	250 cm
DSAE 60-G/250	6 mm	anodised	gold	250 cm
DSAE 60/100	6 mm	anodised	silver	100 cm
DSAE 60/250	6 mm	anodised	silver	250 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DSA 662/250	6 mm	high-gloss anodised	silver	250 cm
DSA 60/100	6 mm	natural	natural	100 cm
DSA 60/250	6 mm	natural	natural	250 cm
DSAE 70/250	7 mm	anodised	silver	250 cm
DSAE 80-G/250	8 mm	anodised	gold	250 cm
DSAE 80-G/300	8 mm	anodised	gold	250 cm
DSAE 80/100	8 mm	anodised	silver	100 cm
DSAE 80/250	8 mm	anodised	silver	250 cm
DSAE 80/300	8 mm	anodised	silver	300 cm
DSAE 80-T/250	8 mm	anodised	titanium	250 cm
DSAE 80-SF/250	8 mm	anodised, brushed	silver	250 cm
DSAE 80-K-SF	8 mm	brushed	copper	
DSA 862-SF/250	8 mm	brushed, high-gloss anodised	silver	250 cm
DSA 863-SF/250	8 mm	brushed, high-gloss anodised	titanium	250 cm
DSA 861/250	8 mm	high-gloss anodised	gold	250 cm
DSA 862/250	8 mm	high-gloss anodised	silver	250 cm
DSA 863/250	8 mm	high-gloss anodised	titanium	250 cm
DSA 80/100	8 mm	natural	natural	100 cm
DSA 80/250	8 mm	natural	natural	250 cm
DSA 80/300	8 mm	natural	natural	300 cm
DSAE 90-G/250	9 mm	anodised	gold	250 cm
DSAE 90/100	9 mm	anodised	silver	100 cm
DSAE 90/250	9 mm	anodised	silver	250 cm
DSAE 90/300	9 mm	anodised	silver	300 cm
DSAE 90-SF/250	9 mm	anodised, brushed	silver	250 cm
DSA 90/100	9 mm	natural	natural	100 cm
DSA 90/250	9 mm	natural	natural	250 cm
DSA 90/300	9 mm	natural	natural	300 cm
DSAC 930/300	9 mm	powder coated	white (RAL 9003)	300 cm
DSACS 90-RVC/300	9 mm	tactile coated	Volcano	300 cm
DSAE 100-G/250	10 mm	anodised	gold	250 cm
DSAE 100/100	10 mm	anodised	silver	100 cm
DSAE 100/250	10 mm	anodised	silver	250 cm
DSAE 100-L/250	10 mm	anodised	silver	250 cm
DSAE 100/300	10 mm	anodised	silver	300 cm
DSAE 100-T/250	10 mm	anodised	titanium	250 cm
DSAE 100-SF/250	10 mm	anodised, brushed	silver	250 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

The recognised standards and regulations of technology must be observed. Previous data sheets are invalid.

DSA 1062-SF/250	10 mm	brushed, high-gloss anodised	silver	250 cm
DSA 1063-SF/250	10 mm	brushed, high-gloss anodised	titanium	250 cm
DSA 1061/250	10 mm	high-gloss anodised	gold	250 cm
DSA 1062/250	10 mm	high-gloss anodised	silver	250 cm
DSA 1063/250	10 mm	high-gloss anodised	titanium	250 cm
DSA 100/100	10 mm	natural	natural	100 cm
DSA 100/250	10 mm	natural	natural	250 cm
DSA 100/300	10 mm	natural	natural	300 cm
DSACS 100-RVC/300	10 mm	tactile coated	Volcano	300 cm
DSAE 110-G/250	11 mm	anodised	gold	250 cm
DSAE 110/100	11 mm	anodised	silver	100 cm
DSAE 110/250	11 mm	anodised	silver	250 cm
DSAE 110/300	11 mm	anodised	silver	300 cm
DSAE 110-SF/250	11 mm	anodised, brushed	silver	250 cm
DSA 1161/250	11 mm	high-gloss anodised	gold	250 cm
DSA 110/100	11 mm	natural	natural	100 cm
DSA 110/250	11 mm	natural	natural	250 cm
DSA 110/300	11 mm	natural	natural	300 cm
DSAC 1130/300	11 mm	powder coated	white (RAL 9003)	300 cm
DSAE 125-G/250	12.5 mm	anodised	gold	250 cm
DSAE 125/100	12.5 mm	anodised	silver	100 cm
DSAE 125/250	12.5 mm	anodised	silver	250 cm
DSAE 125/300	12.5 mm	anodised	silver	300 cm
DSAE 125-T/250	12.5 mm	anodised	titanium	250 cm
DSAE 125-SF/250	12.5 mm	anodised, brushed	silver	250 cm
DSA 1262-SF/250	12.5 mm	brushed, high-gloss anodised	silver	250 cm
DSA 1263-SF/250	12.5 mm	brushed, high-gloss anodised	titanium	250 cm
DSA 1261/250	12.5 mm	high-gloss anodised	gold	250 cm
DSA 1262/250	12.5 mm	high-gloss anodised	silver	250 cm
DSA 1263/250	12.5 mm	high-gloss anodised	titanium	250 cm
DSA 125/100	12.5 mm	natural	natural	100 cm
DSA 125/250	12.5 mm	natural	natural	250 cm
DSA 125/300	12.5 mm	natural	natural	300 cm
DSAE 150-G/250	15 mm	anodised	gold	250 cm
DSAE 150/100	15 mm	anodised	silver	100 cm
DSAE 150/250	15 mm	anodised	silver	250 cm
DSAE 150/300	15 mm	anodised	silver	300 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DSA 150/100	15 mm	natural	natural	100 cm
DSA 150/250	15 mm	natural	natural	250 cm
DSA 150/300	15 mm	natural	natural	300 cm
DSAE 165/250	16.5 mm	anodised	silver	250 cm
DSA 165/250	16.5 mm	natural	natural	250 cm
DSAE 185/250	18.5 mm	anodised	silver	250 cm
DSA 185/250	18.5 mm	natural	natural	250 cm
DSA 200/250	20 mm	natural	natural	250 cm
DSAE 220/250	22 mm	anodised	silver	250 cm
DSA 220/250	22 mm	natural	natural	250 cm
DSA 250/250	25 mm	natural	natural	250 cm
DSAE 300/250	30 mm	anodised	silver	250 cm
DSA 300/250	30 mm	natural	natural	250 cm
DSAE 125-K		anodised	copper	250 cm
DSAE 100-K-SF/250		anodised, brushed	copper	
DSAE 125-K-SF/250		anodised, brushed	copper	
DSAE 125-K-SF		brushed	copper	250 cm
DSA 828-SF/250		brushed	silver	
DSAC 80-7038/250		powder coated	agate grey (RAL 7038)	
DSAC 100-7038/250		powder coated	agate grey (RAL 7038)	
DSAC 8189/100		powder coated	alabaster	
DSAC 8189/250		powder coated	alabaster	
DSAC 10189/100		powder coated	alabaster	
DSAC 10189/250		powder coated	alabaster	
DSAC 12189/100		powder coated	alabaster	
DSAC 12189/100		powder coated	alabaster	
DSAE 80-K-SF		powder coated	copper	
DSAC 8160/100		powder coated	delorean gray	
DSAC 8160/250		powder coated	delorean gray	
DSAC 10160/100		powder coated	delorean gray	
DSAC 10160/250		powder coated	delorean gray	
DSAC 12160/100		powder coated	delorean gray	
DSAC 12160/250		powder coated	delorean gray	
DSAC 8141/100		powder coated	flash walnut	
DSAC 8141/250		powder coated	flash walnut	
DSAC 10141/100		powder coated	flash walnut	
DSAC 10141/250		powder coated	flash walnut	

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DSAC 12141/100		powder coated	flash walnut	
DSAC 8142/100		powder coated	french grey	
DSAC 8142/250		powder coated	french grey	
DSAC 10142/100		powder coated	french grey	
DSAC 10142/250		powder coated	french grey	
DSAC 12142/100		powder coated	french grey	
DSAC 12142/250		powder coated	french grey	
DSAC 100-1019/250		powder coated	grey beige (RAL 1019)	
DSAC 80-1019/250		powder coated	grey beige (RAL 1019)	
DSAC 80-9002/250		powder coated	grey white (RAL 9002)	
DSAC 100-9002/250		powder coated	grey white (RAL 9002)	
DSAC 10198/250		powder coated	hemp	
DSAC 8283/100		powder coated	hemp	
DSAC 8283/250		powder coated	hemp	
DSAC 10283/100		powder coated	hemp	
DSAC 10283/250		powder coated	hemp	
DSAC 12283/100		powder coated	hemp	
DSAC 12283/250		powder coated	hemp	
DSAC 8143/100		powder coated	kaluha cream	
DSAC 8143/250		powder coated	kaluha cream	
DSAC 10143/100		powder coated	kaluha cream	
DSAC 10143/250		powder coated	kaluha cream	
DSAC 12143/100		powder coated	kaluha cream	
DSAC 80-7035/250		powder coated	light grey (RAL 7035)	
DSAC 100-7035/250		powder coated	light grey (RAL 7035)	
DSAC 8144/100		powder coated	misty grey	
DSAC 8144/250		powder coated	misty grey	
DSAC 10144/100		powder coated	misty grey	
DSAC 10144/250		powder coated	misty grey	
DSAC 12144/250		powder coated	misty grey	
DSAC 8145/100		powder coated	mobe pearl	
DSAC 8145/250		powder coated	mobe pearl	
DSAC 10145/100		powder coated	mobe pearl	
DSAC 10145/250		powder coated	mobe pearl	
DSAC 12145/100		powder coated	mobe pearl	
DSAC 12145/250		powder coated	mobe pearl	
DSAC 80-1013/250		powder coated	oyster white (RAL 1013)	

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DSAC 100-1013/250		powder coated	oyster white (RAL 1013)	
DSAC 80-8025/250		powder coated	pale brown (RAL 8025)	
DSAC 100-8025/250		powder coated	pale brown (RAL 8025)	
DSAC 80-7036/250		powder coated	platinum grey (RAL 7036)	
DSAC 8195/100		powder coated	shadow	
DSAC 8195/250		powder coated	shadow	
DSAC 10195/100		powder coated	shadow	
DSAC 10195/250		powder coated	shadow	
DSAC 12195/100		powder coated	shadow	
DSAC 12195/250		powder coated	shadow	
DSAC 8168/100		powder coated	silver bullet	
DSAC 10168/100		powder coated	silver bullet	
DSAC 10168/250		powder coated	silver bullet	
DSAC 12168/100		powder coated	silver bullet	
DSAC 80-7015/250		powder coated	slate grey	
DSAC 100-7015/250		powder coated	slate grey	
DSAC 8198/100		powder coated	storm	
DSAC 8198/250		powder coated	storm	
DSAC 10198/100		powder coated	storm	
DSAC 12198/100		powder coated	storm	
DSAC 12198/250		powder coated	storm	
DSAC 80-7046/250		powder coated	telegrey 2 (RAL 7046)	
DSAC 100-7046/250		powder coated	telegrey 2 (RAL 7046)	
DSAC 80-7047/250		powder coated	telegrey 4 (RAL 7047)	
DSAC 100-7047/250		powder coated	telegrey 4 (RAL 7047)	
DSAC 80-8028/250		powder coated	terra brown (RAL 8028)	
DSAC 100-8028/250		powder coated	terra brown (RAL 8028)	
DSAC 8152/250		powder coated	warm white	
DSAC 8152/100		powder coated	warm white	
DSAC 10152/100		powder coated	warm white	
DSAC 10152/250		powder coated	warm white	
DSAC 12152/100		powder coated	warm white	
DSAC 12152/250		powder coated	warm white	
DSAC 6152/250		powder coated	warm white	
DSAC 100-7036/250		powder coated	white matt (RAL 9003)	
DSACM 780/250		powder coated		
DSAC 12168/250				

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com

DSAC 125-1013/250				
DSAC 125-9002/250				
DSAE 100-B-SF/300				
DSAE 125-B-SF/300				

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.
All information is based on the best of our knowledge and belief. No guarantee can be derived from this.
We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com
DURAL Ltd. | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com