


STEPFLOOR-G














MATERIAL

Aluminium can be used wherever medium mechanical stress is expected. Contact with alkaline materials (e.g. tile adhesive) can cause discolouration that is difficult to remove.

The suitability with regard to mechanical and chemical resistance must always be checked in each individual case.

CARE

Aluminium does not require any special care. If necessary, it can be cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry. Acidic and abrasive cleaning agents should be avoided.

PROCESSING

- 1. Place the profile on the substrate and align it.
- 2. Fix the profile to the substrate using sufficiently dimensioned dowels/screws.
- 3. Cut the profile at an angle to form corners. Seal the mitre joint with a neutral cross-linked silicon.
- 4. Before inserting the safety inserts, clean the adhesive surfaces and remove any substances that could impair adhesion.

The generally accepted rules of technology and tiling must be observed. Suitability for use with mechanical and chemical resistance must always be checked in each individual case.

TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.

All information is based on the best of our knowledge and belief. No guarantee can be derived from this.

We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.





Material	[Aluminium]
Surface	[anodised]
Colour	silver
Length	90 cm, 270 cm
sight width	15 mm
Height	8 mm, 14 mm
Width mm	35 mm
height up to	10 mm, 16 mm

PRODUCT VARIANTS

Ident	Height	Surface	Colour	Length
STFGAE 800/90	8 mm	anodised	silver	90 cm
STFGAE 800/270	8 mm	anodised	silver	270 cm
STFGAE 1400/90	14 mm	anodised	silver	90 cm
STFGAE 1400/270	14 mm	anodised	silver	270 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.

All information is based on the best of our knowledge and belief. No guarantee can be derived from this.

We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.