


T-COVE














TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	[Metal die-cast]	
Surface	[high-gloss anodised], [powder coated], [anodised]	
Colour	silver, white, titanium	
sight width	12 mm, 16 mm, 22 mm	
Height	12 mm, 16 mm, 22 mm	

PRODUCT VARIANTS

Ident	Height	Surface	Colour
TCAE 120-XI/2	12 mm	anodised	silver
TCAE 120-XI-3D/2	12 mm	anodised	silver

Please note: For technical reasons, tolerances in color effects of the materials and print are possible.

All information is based on the best of our knowledge and belief. No guarantee can be derived from this.

We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DURAL GmbH | Südring 11 | D-56412 Ruppach-Goldhausen | Germany | +49 2602/9261-0 | info@dural.com **DURAL Ltd.** | Unit 6a | Wakefield Business Centre Denby Dale Rd | Wakefield | WF2 7AZ | United Kingdom | ukinfo@dural.com





TCAE 120-T-XI/2	12 mm	anodised	titanium
TCAE 120-T-XI-3D/2	12 mm	anodised	titanium
TCA 1262-XI/2	12 mm	high-gloss anodised	silver
TCA 1262-XI-3D/2	12 mm	high-gloss anodised	silver
TCAC 1230-XI/2	12 mm	powder coated	white
TCAC 1230-XI-3D/2	12 mm	powder coated	white
TCAE 160-XI/2	16 mm	anodised	silver
TCAE 160-XI-3D/2	16 mm	anodised	silver
TCAE 160-T-XI/2	16 mm	anodised	titanium
TCAE 160-T-XI-3D/2	16 mm	anodised	titanium
TCA 1662-XI/2	16 mm	high-gloss anodised	silver
TCA 1662-XI-3D/2	16 mm	high-gloss anodised	silver
TCAC 1630-XI/2	16 mm	powder coated	white
TCAC 1630-XI-3D/2	16 mm	powder coated	white
TCAE 220-XI/2	22 mm	anodised	silver
TCAE 220-XI-3D/2	22 mm	anodised	silver
TCAE 220-T-XI/2	22 mm	anodised	titanium
TCAE 220-T-XI-3D/2	22 mm	anodised	titanium
TCA 2262-XI/2	22 mm	high-gloss anodised	silver
TCA 2262-XI-3D/2	22 mm	high-gloss anodised	silver
TCAC 2230-XI/2	22 mm	powder coated	white
TCAC 2230-XI-3D/2	22 mm	powder coated	white

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.