

# WiZ Pro GLS

06776 WIZGLS60/B22-RGB

## WiZ Pro 8W (=60W) A60 B22 922-65 RGB

- Dimmable and colour tuneable
- Control lights seamlessly with WiZ app
- Easily controlled via smart device with Internet connection
- 2200-6500K CCT (RGB + TW)
- High efficiency of up to 100lm/W



### Overview

WiZ Pro can be easily controlled via a smart device with an internet connection. Define schedules to turn the lights on and off according to a routine, set scenes and light modes, all to accommodate the needs of your project, and control the lights seamlessly with WiZ app.



### General Information

Ambient Temperature Range (°C)	-20°C to 45°C
Installation Area	Internal

### Compliance

Others	UKCA, CE, RoHS, WEEE
--------	----------------------

### Technical Summary

Product Code	WIZGLS60/B22-RGB
Input Voltage Supply	220-240Vac 50/60Hz
Inrush Current (peak/duration) (A)	N/A
Default Power	8 W
Power Factor	0.51
Settable Colour Temperatures	2200K-6500K (RGB + TW)
CRI	90
Dimmable	Y
Lumens Output Maximum	806 lm
Maximum Efficiency	101 lm/W
L70B50 Lifetime (h) @ Ta 25 °C	25,000 h
Nominal Lifetime (h)	25,000 h
Glow wire temperature(°C)	650
Blue Light Hazard	RG1
Weight	0.065Kg
Dimensions (L x W x D) (mm)	120xø60
LS Energy Efficiency Class	F

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com




Kosnic Lighting KosnicUK KosnicLightingUK

06776 WIZGLS60/B22-RGB

## Overview

WiZ Pro can be easily controlled via a smart device with an internet connection. Define schedules to turn the lights on and off according to a routine, set scenes and light modes, all to accommodate the needs of your project, and control the lights seamlessly with WiZ app.



## General Information

Ambient Temperature Range (°C)	-20°C to 45°C
Nominal Lifetime (h)	25,000 h
Installation Area	Internal

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)

