


# Pico-i Microwave Sensor

06951 PIC-MWS

## Pico-I, Microwave Sensor

- Quick and easy installation
- Compatible with Pico-i bulkhead
- Optional microwave sensor



### Overview

The Pico bulkheads for LED DD lamps are also compatible with it's very own microwave sensor, allowing for complete customisability for your lighting scheme.



### General Information

Ambient Temperature Range (°C)	-25°C to 60°C
IP Rating	IP20
Protection Rating	Class II
Installation Area	Internal

### Compliance

Others	UKCA, CE, RoHS, WEEE
--------	----------------------

### Technical Summary

Product Code	PIC-MWS
Weight	0.0252Kg

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)



Kosnic Lighting KosnicUK KosnicLightingUK

# Pico-i Microwave Sensor

06951 PIC-MWS

## Optional Gear

Product Code	Description	Type
EMDD02/ST	2W self-test emergency module for LED DD and bulkhead	Self-test Emergency Module
EMDD02	2W standard emergency module for LED DD and bulkhead	Emergency Module







## Overview

The Pico bulkheads for LED DD lamps are also compatible with its very own microwave sensor, allowing for complete customisability for your lighting scheme.



## General Information

Ambient Temperature Range (°C)	-25°C to 60°C
IP Rating	IP20
Protection Rating	Class II
Installation Area	Internal



Tel: 01635 523 713


Email: sales@kosnic.com

Kosnic.com



# Pico-i Microwave Sensor

06951 PIC-MWS



## Overview

The Pico bulkheads for LED DD lamps are also compatible with its very own microwave sensor, allowing for complete customisability for your lighting scheme.



**IP20**



## General Information

Ambient Temperature Range (°C)	-25°C to 60°C
IP Rating	IP20
Protection Rating	Class II
Installation Area	Internal

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)

