

**5** 5 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only



# Ossa Go

07927 OSSG15-W40

## Ossa Go slim IP65 bulkhead 15W 4000K

- Choice of alternative decorative trims
- Integrated LED tray
- IP65 & vandal resistant (IK10)
- Microwave sensor version available
- 20mm conduit entry
- BESA box fitting points
- Flicker free



### Overview

The Ossa Go is a slim bulkhead with integrated LED tray offering a low maintenance solution to lighting for all areas. With 20mm Conduit entry and BESA box fitting points to ease installation and maintenance.



### General Information

Ambient Temperature Range (°C)	-20°C to 50°C
IK Rating	IK10
IP Rating	IP65
Nominal Lifetime (h)	50,000 h
Protection Rating	Class II
Installation Area	Internal and External

### Technical Summary

Product Code	OSSG15-W40
Input Voltage Supply	220-240Vac 50/60Hz
Default Power	15 W
Power Factor	0.80
Default CCT	4,000 K
SDCM of CCT	<6
CRI	82
Flicker	<1%
Lumens Output Maximum	1,250 lm
Maximum Efficiency	84 lm/W
Maintained Luminous Flux	110 lm
L80B10 Lifetime (h) @Ta 25 °C	96,000 h
Nominal Lifetime (h)	50,000 h
Weight	0.9Kg
Dimensions (L x W x D) (mm)	78xØ304



Kosnic Lighting



KosnicUK



KosnicLightingUK



KosnicUK

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)

**5** 5 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

# Ossa Go



07927 OSSG15-W40

## Optional Gear

Product Code	Description	Type
EMDD02	2W standard emergency module for LED DD and bulkhead	Emergency Module
EMDD02/ST	2W self-test emergency module for LED DD and bulkhead	Self-test Emergency Module

## Accessories

Product Code	Description	Type
KPT-SCREW1	Anti-vandal Screw Pack	Screw
KPT-SCREWDRIVER1	Anti-vandal Screw Driver	Tool
OSSP-CHM	Ossa II and Ossa Go Clip-on ring Polo, Chrome, ø304mm	Trim
OSSP-BAS	Ossa II and Ossa Go Clip-on ring Polo, Brass, ø304mm	Trim
OSST-BLK	Ossa, Ossa II and Ossa Go Clip-on ring Edge, Matt Black, ø292mm	Trim
OSST-GRY	Ossa, Ossa II and Ossa Go, Clip-on ring Edge, Grey, ø292mm	Trim
OSST-WHT	Ossa II and Ossa Go Clip-on ring Edge, White, ø292mm	Trim
OSSLID-BLK	Ossa II and Ossa Go, Clip-on ring Eyelid, Black, ø292mm	Trim
OSSLID-GRY	Ossa II and Ossa Go, Clip-on ring Eyelid, Grey, ø292mm	Trim
OSSLID-WHT	Ossa II and Ossa Go, Clip-on ring Eyelid, White, ø292mm	Trim
OSSLT-CHM	Ossa, Ossa II and Ossa Go, Clip-on ring Deco back light filter, Chrome, ø379mm	Trim
OSSLT-BAS	Ossa, Ossa II and Ossa Go Clip-on ring Deco back light filter, Brass, ø379mm	Trim
OSSLT-PBL	Ossa, Ossa II and Ossa Go Clip-on ring Deco back light filter, Polished Black, ø379mm	Trim
OSSLT-WHT	Ossa, Ossa II and Ossa Go Clip-on ring Deco back light filter, White, ø379mm	Trim
OSSLT-SCH	Ossa, Ossa II and Ossa Go Clip-on ring Deco back light filter, Satin Chrome, ø379mm	Trim

## Overview

The Ossa Go is a slim bulkhead with integrated LED tray offering a low maintenance solution to lighting for all areas. With 20mm Conduit entry and BESA box fitting points to ease installation and maintenance.



## General Information

Ambient Temperature Range (°C)	-20°C to 50°C
IK Rating	IK10
IP Rating	IP65
Nominal Lifetime (h)	50,000 h
Protection Rating	Class II
Installation Area	Internal and External



Kosnic Lighting



KosnicUK



KosnicLightingUK



KosnicUK

Tel: 01635 523 713

Email: [sales@kosnic.com](mailto:sales@kosnic.com)

[Kosnic.com](http://Kosnic.com)


**5** 5 Years  
Product Warranty  
UK Only

**2** 2 Years  
On-Site Warranty  
Main-land UK Only

# Ossa Go



07927 OSSG15-W40



## Overview

The Ossa Go is a slim bulkhead with integrated LED tray offering a low maintenance solution to lighting for all areas. With 20mm Conduit entry and BESA box fitting points to ease installation and maintenance.



## General Information

Ambient Temperature Range (°C)	-20°C to 50°C
IK Rating	IK10
IP Rating	IP65
Nominal Lifetime (h)	50,000 h
Protection Rating	Class II
Installation Area	Internal and External

Order Code	OSSP-CHM	OSSP-BAS	OSST-BLK	OSST-GRY	OSST-WHT
<b>Finish</b>	Chrome	Brass	Matt Black	Grey	White
<b>LOR (with trim)</b>	65 %	65 %	62 %	65 %	65 %
<b>Diameter</b>	304 mm	304 mm	292 mm	292 mm	292 mm
<b>Depth</b>	70 mm	70 mm	70 mm	70 mm	70 mm

Order Code	OSSLID-BLK	OSSLID-GRY	OSSLID-WHT	OSSLT-WHT
<b>Finish</b>	Matt Black	Grey	White	White
<b>LOR (with trim)</b>	38 %	40 %	40 %	65 %
<b>Diameter</b>	292 mm	292 mm	292 mm	379 mm
<b>Depth</b>	64 mm	64 mm	64 mm	70 mm



Kosnic Lighting



KosnicUK



KosnicLightingUK



KosnicUK

Tel: 01635 523 713

Email: sales@kosnic.com

Kosnic.com